

September 21, 2018

Mr. Slate Williams, General Manager
Crockett County GCD
P.O. Box 1458
Ozona, TX 76943

Dear Mr. Williams:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Board Members

Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Mr. Ken Carver, General Manager
Glasscock GCD
P.O. Box 208
Garden City, TX 79739

Dear Mr. Carver:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board’s (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as “the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108.” We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Board Members

Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Mr. David Huie, Manager
Hickory Underground Water Conservation District No. 1
P.O. Box 1214
Brady, TX 76825

Dear Mr. Huie:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board’s (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as “the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108.” We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission **Board Members**

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Mr. Winton Milliff, General Manager
Coke County Underground Water Conservation District
P.O. Box 1110
Robert Lee, TX 76945

Dear Mr. Milliff:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board’s (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as “the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108.” We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Board Members

Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Mr. Paul Tybor, Manager
Hill Country Underground Water Conservation District
508 S. Washington
Fredericksburg, TX 78624

Dear Mr. Tybor:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board’s (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as “the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108.” We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission : **Board Members**

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas : Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
: Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Mr. Scott Holland, General Manager
Irion County Underground Water Conservation District
P.O. Box 10
Mertzon, TX 76941

Dear Mr. Holland:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission : **Board Members**

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

: Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
:
:
:
:
: Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Mr. Jerry Kirby, Manager
Kimble County Groundwater Conservation District
P.O. Box 31
Junction, TX 76849

Dear Mr. Kirby:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board’s (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as “the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108.” We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Ms. Genell Hobbs, General Manager
Kinney County Groundwater Conservation District
P.O. Box 369
Bracketville, TX 78832

Dear Ms. Hobbs:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board’s (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as “the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108.” We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Board Members

Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Mr. Allan Lange, General Manager
Lipan-Kickapoo Water Conservation District
P.O. Box 67
Vancourt, TX 76955

Dear Mr. Lange:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board’s (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as “the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108.” We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Board Members

Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Ms. Sue Young, General Manager
 Lone Wolf Groundwater Conservation District
 P.O. Box 1001
 Colorado City, TX 79512

Dear Ms. Young:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board’s (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as “the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108.” We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Ms. Tami Russell, General Manager
Menard County Underground Water District
P.O. Box 1215
Menard, TX 0

Dear Ms. Russell:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Board Members

Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Mr. Ty Edwards, General Manager
Middle Pecos Groundwater Conservation District
P.O. Box 1644
Fort Stockton, TX 79735

Dear Mr. Edwards:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board’s (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as “the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108.” We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

September 21, 2018

Mr. Jon Cartwright, Manager
Plateau Underground Water Conservation & Supply District
P.O. Box 324
Eldorado, TX 76936

Dear Mr. Cartwright:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas


Board Members

Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

September 21, 2018

Mr. Joel Pigg, General Manager
Real-Edwards Conservation & Reclamation District
P.O. Box 1208
Leakey, TX 78873

Dear Mr. Pigg:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board’s (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG Version 2) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018. The TWDB issued GAM Run 16-026 MAG on August 22, 2018. Version 2 of the report, included with this letter, includes updates to the modeled available groundwater estimates and tables for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers, which inadvertently included areas not relevant for the purposes of joint planning in the original version.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as “the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108.” We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of

Our Mission

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Board Members

Peter M. Lake, Chairman | Kathleen Jackson, Board Member | Brooke T. Paup, Board Member
Jeff Walker, Executive Administrator

projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,



Jeff Walker
Executive Administrator

Attachment: GAM Run 16-026 MAG Version 2

c w/att.: Roland Ruiz, Edwards Aquifer Authority
William R. Hutchison, Groundwater Consultant
Annette Gutierrez, Rio Grande Council of Governments
Kevin W. Krueger, Colorado River Municipal Water District
Trey Buzbee, Brazos River Authority
Jody Grinstead, Kerr County Commissioners Court
David Wheelock, Lower Colorado River Authority
Steven J. Raabe, P.E., San Antonio River Authority
John Ashworth, LBG-Guyton Associates
Simone Kiel, Freese & Nichols, Inc.
David Dunn, HDR, Inc.
Jennifer Herrera, LBG-Guyton Associates
Jaime Burke, AECOM, Inc.
Brian Perkins, Black & Veatch Corp.
L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on Environmental Quality
Kim Wilson, Texas Commission on Environmental Quality
Kelly Mills, Texas Commission on Environmental Quality
Abiy Berehe, Texas Commission on Environmental Quality
John Dupnik, Deputy Executive Administrator, Water Science and Conservation
Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and Conservation
Larry French, Groundwater Division
Temple McKinnon, Water Use, Projections, & Planning
Sarah Backhouse, Water Use, Projections, & Planning
Sabrina Anderson, Water Use, Projections, & Plannin

