

TEXAS BOARD OF WATER ENGINEERS

R. M. Dixon, Chairman  
H. A. Beckwith, Member  
O. F. Dent, Member

BULLETIN 5606

RECORDS OF WATER-LEVEL MEASUREMENTS IN BEXAR COUNTY, TEXAS

Compiled by  
C. R. Follett, Engineer  
Texas Board of Water Engineers

Prepared in cooperation with the Geological Survey  
United States Department of the Interior

March 1956



RECORDS OF WATER-LEVEL MEASUREMENTS IN BEXAR COUNTY, TEXAS

Compiled by

C. R. Follett, Engineer  
Texas Board of Water Engineers

March 1956

The Texas Board of Water Engineers is charged with making scientific investigations of the sources, amount and quality of ground-water supplies and reporting upon the feasible conservation, maintenance and supplementation of said supplies. To evaluate effects of ground-water development in relation to available supply, periodic measurements of water levels are made in the principal reservoirs of the state through an observation well program financed cooperatively by the Texas Board of Water Engineers and the United States Geological Survey.

Water levels in some observation wells are published annually in Water Supply Papers of the Geological Survey. County-wide water-level reports are issued by the Texas Board of Water Engineers and include all recorded water levels in selected observation wells. This bulletin contains measurements of the depth to water in feet above or below land-surface datum in 123 wells in Bexar County. The records for Bexar County cover the period from 1932 to January 1956.

During 1932-34 an investigation was made of the water resources of the San Antonio area by the Texas Board of Water Engineers and the Geological Survey. The results of the investigation were published in 1936 in Geological Survey Water-Supply Paper 773-B. The results of a field investigation made in 1946 were published in May 1947. Since 1948 a more extensive investigation of the water resources of an enlarged San Antonio area is being made in cooperation with the city of San Antonio. Most of these data are now being prepared for

publication. Water-level measurements made in Bexar County during the time of these investigations, as well as interim measurements are included in this bulletin.

Most of the water levels are reported in feet below land-surface datum. However, for flowing wells, water levels above ground are indicated by a plus sign preceding the figure. The accompanying maps show the locations of the observation wells. Hydrographs showing the fluctuation of water levels in five wells and the precipitation at Boerne are given on pages 59 and 60.. Records of water wells, geologic data, pumpage data, and discussion of water levels are given in the following list of publications.

## LIST OF PUBLICATIONS

BROADHURST, W. L., SUNDSTROM, R. W., and ROWLEY, J. H., 1946, Public water supplies in southern Texas: Texas Board of Water Engineers.\*

, 1950, Public water supplies in southern Texas: U. S. Geol. Survey Water-Supply Paper 1070.

DEUSSEN, ALEXANDER, 1924, Geology of the Coastal Plain of Texas west of the Brazos River: U. S. Geol. Survey Prof. Paper 126.\*

HILL, R. T., and VAUGHN, T. W., 1898, Geology of the Edwards Plateau and Rio Grande Plain adjacent to Austin and San Antonio, Texas: Part 2, U. S. Geol. Survey 18th Ann. Rept.\*

LANG, JOE W., 1954, Ground-water resources of the San Antonio area, Texas: Texas Board of Water Engineers, Bulletin 5412.

LIVINGSTON, PENN P., SAYRE, A. N., and WHITE, W. N., 1936, Water resources of the Edwards limestone in the San Antonio area, Texas: U. S. Geol. Survey Water-Supply Paper 773-B.\*

LIVINGSTON, PENN P., 1942, A few interesting facts regarding the natural flow from artesian well 4 owned by the San Antonio Public Service Company, San Antonio, Texas: Texas Board of Water Engineers.

, 1947, Ground-water resources of Bexar County, Texas: Texas Board of Water Engineers.

MEINZER, O. E., 1927, Large springs in the United States: U. S. Geol. Survey Water-Supply Paper 557.\*

MEINZER, O. E., and WENZEL, L. K., 1936, Water levels and artesian pressure in observation wells in the United States in 1935: U. S. Geol. Survey Water-Supply Paper 777.\*

, 1937, Water levels and artesian pressure in observation wells in the United States in 1936: U. S. Geol. Survey Water-Supply Paper 817.\*

, 1938, Water levels and artesian pressure in observation wells in the United States in 1937: U. S. Geol. Survey Water-Supply Paper 840.\*

, 1939, Water levels and artesian pressure in observation wells in the United States in 1938: U. S. Geol. Survey Water-Supply Paper 845.\*

## LIST OF PUBLICATIONS

MEINZER, O. E., and WENZEL, L. K., 1940, Water levels and artesian pressure in observation wells in the United States in 1939: U. S. Geol. Survey Water-Supply Paper 886.\*

, 1940, Water levels and artesian pressure in observation wells in the United States in 1939: U. S. Geol. Survey Water-Supply Paper 909.\*

, 1943, Water levels and artesian pressure in observation wells in the United States in 1941: U. S. Geol. Survey Water-Supply Paper 939.\*

, 1944, Water levels and artesian pressure in observation wells in the United States in 1942: U. S. Geol. Survey Water-Supply Paper 947.\*

, 1946, Water levels and artesian pressure in observation wells in the United States in 1943: Part 4, U. S. Geol. Survey Water-Supply Paper 989.\*

MUIR, A. H., 1911, The geology of the artesian water supply of the San Antonio area.\*

POTTER, ALEXANDER, 1912, A report upon and an appraisement of the water supply system of the city of San Antonio, Texas.\*

SAYRE, A. N., and OTHERS, 1947, Water levels and artesian pressure in observation wells in the United States in 1944: Part 4, U. S. Geol. Survey Water-Supply Paper 1019.

, 1948, Water levels and artesian pressure in observation wells in the United States in 1945: Part 4, U. S. Geol. Survey Water-Supply Paper 1026.\*

, 1949, Water levels and artesian pressure in observation wells in the United States in 1946: Part 4, U. S. Geol. Survey Water-Supply Paper 1074.\*

, 1950, Water levels and artesian pressure in observation wells in the United States in 1947: Part 4, U. S. Geol. Survey Water-Supply Paper 1099.\*

, 1951, Water levels and artesian pressure in observation wells in the United States in 1948: Part 4, U. S. Geol. Survey Water-Supply Paper 1129.\*

## LIST OF PUBLICATIONS

SAYRE, A. N., and OTHERS, 1952, Water levels and artesian pressure in observation wells in the United States in 1949: Part 4, U. S. Geol. Survey Water-Supply Paper 1159.\*

, 1953, Water levels and artesian pressure in observation wells in the United States in 1950: Part 4, U. S. Geol. Survey Water-Supply Paper 1168.\*

, 1954, Water levels and artesian pressure in observation wells in the United States in 1951: Part 4, U. S. Geol. Survey Water-Supply Paper 1194.\*

, 1954, Water levels and artesian pressure in observation wells in the United States in 1952: Part 4, U. S. Geol. Survey Water-Supply Paper 1224.\*

SELLARS, E. H., 1919, The geology and mineral resources of Bexar County: Texas Univ. Bull. 1932.\*

STEPHENSON, L. W., The camps around San Antonio, printed on the reverse side of the topographic map of the San Antonio quadrangle, edition of 1919.\*

TAYLOR, T. U., 1907, Underground waters of the Coastal Plain of Texas: U. S. Geol. Survey Water-Supply Paper 190.\*

\* Out of print. Copies available for reference in some public libraries and at the Austin offices of the Texas Board of Water Engineers and the U. S. Geological Survey.

BEXAR COUNTY, TEXAS  
OBSERVATION WELLS  
January 1956

BULLETIN 5606  
TEXAS BOARD OF WATER ENGINEERS  
IN COOPERATION WITH  
U. S. GEOLOGICAL SURVEY



## BEXAR COUNTY

4. Lat.  $29^{\circ}28'$ , long.  $98^{\circ}30'$ . Depth 540 feet. Land-surface datum is 710.7 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Oct. 30, 1934	41.5	Oct. 16, 1953	89.80	Jan. 4, 1955	85.08
Oct. 1, 1952	132.13	Nov. 4	73.68	Feb. 2	82.60
Nov. 7	81.70	Dec. 8	70.48	Mar. 3	77.95
Dec. 3	72.56	Jan. 6, 1954	67.36	Apr. 4	100.80
Jan. 6, 1953	66.80	Feb. 4	66.37	May 2	124.53
Feb. 9	64.51	Mar. 4	73.11	June 1	106.06
Mar. 9	64.29	June 7	103.91	July 5	121.64
Apr. 7	68.24	July 6	111.04	Aug. 4	128.39
May 8	85.57	Aug. 5	118.20	Aug. 30	126.17
June 3	95.13	Aug. 23	119.55	Nov. 4	118.06
July 14	95.43	Oct. 4	102.84	Dec. 5	95.05
Aug. 7	113.30	Nov. 2	98.95	Jan. 4, 1956	97.93
Sept. 17	87.13	Dec. 1	87.28		

5. Lat.  $29^{\circ}29'$ , long.  $98^{\circ}30'$ . Land-surface datum is 761.5 feet above msl.

Aug. 24, 1933	86.85	Aug. 22, 1934	90.90	May 20, 1935	81.69
Sept. 18	86.20	Sept. 19	91.40	June 26	70.60
Oct. 17	86.77	Oct. 12	92.02	Aug. 3	75.68
Nov. 20	86.88	Oct. 25	92.50	Sept. 26	76.15
Dec. 18	86.95	Nov. 20	91.45	Nov. 19	77.42
Feb. 19, 1934	86.21	Dec. 19	91.43	Jan. 18, 1936	78.97
Mar. 19	85.40	Jan. 31, 1935	91.37	Aug. 28	76.69
Apr. 18	84.74	Mar. 1	90.98	Dec. 29	76.20
June 19	89.37	Apr. 8	91.84		

6. Lat.  $29^{\circ}28'$ , long.  $98^{\circ}29'$ . Land-surface datum is 773.9 feet above msl.

Aug. 24, 1933	101.5	Mar. 19, 1934	100.60	Oct. 25, 1934	106.72
Sept. 18	100.89	Apr. 19	99.22	Nov. 19	105.69
Oct. 17	101.49	June 19	104.12	Dec. 19	105.44
Nov. 20	101.48	July 27	103.86	Jan. 31, 1935	105.41
Dec. 18	101.46	Aug. 22	105.54	Apr. 8	105.92
Jan. 18, 1934	101.33	Sept. 19	105.81	May 19	97.75
Feb. 19	100.90	Oct. 12	106.42	June 26	89.38

(Continued on next page)

## BEXAR COUNTY

6. - Continued

Date	Water level	Date	Water level	Date	Water level
Aug. 3, 1935	92.83	Dec. 3, 1952	126.08	Aug. 4, 1954	140.69
Nov. 20	93.78	Jan. 6, 1953	122.78	Aug. 23	144.01
Nov. 27, 1950	118.27	Feb. 9	126.41	Oct. 6	141.5 <sup>±</sup>
Dec. 6	118.07	Mar. 9	126.88	Nov. 4	138.5
Jan. 4, 1951	119.11	Apr. 7	129.13	Dec. 1	139.00
Feb. 5	120.47	May 7	131.75 <sup>±</sup>	Jan. 7, 1955	137.90
Mar. 5	119.93	June 3	136.94	Feb. 3	137.10
May 11	122.76	July 14	138.36	Mar. 1	135.98
May 25	121.21	Aug. 7	143.43	Apr. 4	139.12
June 7	120.50	Sept. 19	128.84	May 5	145.85
July 3	126.75	Oct. 16	131.65	June 2	142.73
Aug. 6	136.90	Nov. 2	128.40	July 7	147.60
Sept. 10	133.15	Dec. 8	127.30	Aug. 3	149.00
Oct. 30	128.11	Jan. 6, 1954	128.65	Aug. 30	149.78
Dec. 27	127.95	Feb. 4	130.36	Oct. 6	147.41
Apr. 7, 1952	128.41	Mar. 4	132.70	Oct. 31	147.94
June 3	129.51	Apr. 6	138.00	Dec. 5	143.5
Aug. 1	136.53	May 6	136.68	Jan. 4, 1956	144.02
Sept. 2	138.02	June 7	140.35		
Nov. 7	133.33	July 6	140.69		

19. Lat. 29° 29', long. 98° 27'. Depth 245 feet. Land-surface datum is 803.2 feet above msl.

July 20, 1932	131.77	Mar. 20, 1934	130.62	Mar. 1, 1935	135.53
Oct. 19	128.30	Apr. 19	129.83	Apr. 8	135.53
Jan. 23, 1933	128.19	May 22	132.28	May 19	128.33
Apr. 10	128.90	June 20	134.59	June 26	118.48
July 17	131.83	July 27	134.53	Aug. 3	122.70
Aug. 18	131.70	Aug. 23	135.94	Sept. 26	123.21
Sept. 19	131.31	Sept. 20	136.25	Nov. 19	123.80
Oct. 18	132.01	Oct. 12	136.90	Jan. 18, 1936	125.14
Nov. 21	133.02	Oct. 25	137.21	Aug. 28	124.10
Dec. 20	132.01	Nov. 19	136.26	Jan. 5, 1937	122.89
Jan. 19, 1934	131.70	Dec. 20	136.09		
Feb. 20	131.30	Jan. 31, 1935	135.92		

## BEXAR COUNTY

26. Lat.  $29^{\circ}28'$ , long.  $98^{\circ}26'$ . Depth 756 feet. Land-surface datum is 722.6 feet above msl. Monthly highest water level from recorder graph.

Date	Water level	Date	Water level	Date	Water level
Nov. 21, 1932	46.54	Apr. 1, 1936	44.22	Dec. 31, 1939	54.34
Dec. 30	46.46	May 21	39.80	Jan. 11, 1940	54.07
Jan. 24, 1933	46.30	June 2	39.54	Feb. 5	54.51
Feb. 17	45.55	Aug. 6	39.64	Mar. 1	55.84
Mar. 8	46.26	Sept. 30	40.80	Apr. 29	57.37
Apr. 15	47.26	Oct. 12	40.25	May 31	56.55
May 1	47.97	Nov. 2	40.34	June 30	54.92
June 2	48.43	Dec. 1	40.58	July 1	54.66
July 10	49.38	Jan. 1, 1937	40.97	Aug. 1	58.90
Aug. 27	49.73	Feb. 8	41.80	Sept. 2	60.08
Sept. 4	49.13	Mar. 29	41.34	Oct. 31	59.31
Oct. 3	49.30	Apr. 1	41.43	Nov. 26	56.02
Nov. 8	49.98	May 3	43.95	Dec. 26	51.13
Dec. 26	49.84	June 10	40.48	Jan. 1, 1941	52.07
Jan. 29, 1934	49.12	July 12	42.80	Feb. 13	47.50
Feb. 1	49.06	Aug. 2	45.00	Mar. 31	45.64
Mar. 5	47.53	Sept. 6	46.63	Apr. 30	42.81
Apr. 22	47.36	Oct. 18	46.13	May 9	40.10
May 4	48.69	Nov. 1	46.61	June 2	41.67
June 4	51.38	Dec. 31	44.88	July 1	43.38
July 31	51.63	Jan. 30, 1938	41.63	Aug. 11	46.54
Aug. 5	51.49	Feb. 2	41.72	Sept. 24	46.09
Sept. 17	54.26	Mar. 1	43.23	Oct. 7	44.05
Oct. 4	54.22	Apr. 30	41.68	Nov. 3	44.65
Nov. 30	54.42	May 6	41.17	Dec. 1	44.82
Dec. 31	53.34	June 1	42.55	Jan. 1, 1942	45.35
Jan. 1, 1935	53.56	July 1	45.94	Feb. 23	46.15
Feb. 15	52.77	Aug. 10	46.65	Mar. 4	46.40
Mar. 2	53.74	Sept. 19	47.37	Apr. 13	46.39
Apr. 9	54.60	Oct. 10	48.43	May 12	46.77
May 31	45.13	Nov. 19	48.30	June 9	47.67
June 26	37.02	Dec. 7	48.52	July 9	47.67
Aug. 5	41.25	Jan. 3, 1939	48.46	Aug. 3	50.73
Sept. 30	40.59	Feb. 1	48.66	Sept. 14	44.43
Oct. 1	40.52	Mar. 4	49.37	Oct. 25	37.20
Nov. 20	42.00	Apr. 1	50.79	Nov. 2	37.99
Dec. 9	42.35	May 1	52.86	Dec. 4	41.38
Jan. 5, 1936	42.45	June 5	52.96	Jan. 1, 1943	42.98
Feb. 3	43.52	July 17	54.01	Feb. 1	44.28
Mar. 13	43.21	Nov. 20	54.70	Mar. 5	45.60

(Continued on next page)

## BEXAR COUNTY

26. - Continued

Date	Water level	Date	Water level	Date	Water level
Apr. 1, 1943	46.48	Oct. 2, 1946	41.41	Feb. 24, 1950	57.18
May 31	49.94	Nov. 14	42.25	Mar. 6	57.42
June 14	48.57	Dec. 20	42.70	Apr. 24	59.37
July 17	48.23	Jan. 27, 1947	41.86	May 18	58.36
Aug. 2	50.29	Feb. 3	42.02	June 6	58.25
Sept. 20	51.40	Mar. 1	43.40	July 3	62.72
Oct. 4	51.37	Apr. 1	44.77	Aug. 15	64.76
Nov. 22	52.30	May 1	47.03	Sept. 28	65.03
Dec. 1	52.40	June 23	51.32	Oct. 2	64.71
Jan. 7, 1944	52.69	July 1	52.87	Nov. 13	66.55
Feb. 29	51.07	Aug. 28	51.97	Dec. 4	66.83
Mar. 28	46.34	Sept. 1	52.13	Jan. 2, 1951	66.55
Apr. 3	46.53	Oct. 14	55.45	Feb. 28	68.28
May 31	45.06	Nov. 20	54.98	Mar. 1	68.45
June 2	44.94	Dec. 29	54.63	Apr. 1	69.41
July 5	48.08	Jan. 2, 1948	54.83	May 21	69.73
Aug. 31	50.87	Feb. 24	54.80	June 4	68.94
Sept. 8	49.47	Mar. 1	54.63	July 2	74.33
Oct. 9	51.31	Apr. 1	58.75	Aug. 1	79.69
Jan. 27, 1945	43.40	May 1	61.37	Sept. 26	77.05
Feb. 20	40.81	June 30	63.77	Oct. 29	76.61
Mar. 2	41.71	July 6	61.26	Nov. 27	76.16
Apr. 9	40.65	Aug. 2	66.81	Dec. 3	75.81
May 7	42.38	Sept. 13	65.47	Jan. 7, 1952	76.18
June 1	46.76	Oct. 25	64.73	Feb. 29	76.91
July 2	48.26	Nov. 26	64.69	Mar. 3	76.52
Aug. 3	50.18	Dec. 1	65.22	Apr. 26	76.42
Sept. 3	51.81	Jan. 27, 1949	65.10	May 2	77.44
Oct. 15	49.19	Feb. 28	63.02	June 2	78.51
Nov. 20	50.34	Mar. 9	62.23	July 1	81.50
Dec. 25	49.27	Apr. 30	51.45	Aug. 3	84.63
Jan. 7, 1946	49.57	May 2	50.97	Sept. 22	78.74
Feb. 26	48.71	June 13	54.65	Oct. 1	80.05
Mar. 1	49.52	July 5	55.36	Nov. 30	75.67
Apr. 2	51.16	Aug. 9	58.76	Dec. 31	72.07
May 22	50.10	Sept. 5	62.31	Jan. 5, 1953	71.04
June 26	49.79	Oct. 28	55.48	Feb. 2	73.54
July 1,	50.27	Nov. 1	55.82	Mar. 1	74.85
Aug. 31	54.03	Dec. 19	58.30	Apr. 6	76.64
Sept. 30	41.58	Jan. 3, 1950	58.26	May 18	78.71

(Continued on next page)

## BEXAR COUNTY

26. - Continued

Date	Water level	Date	Water level	Date	Water level
June 1, 1953	83.63	May 3, 1954	83.19	Apr. 11, 1955	87.33
July 5	84.87	June 1	85.78	May 23	87.91
Aug. 31	83.50	July 5	86.97	June 12	90.47
Sept. 14	75.18	Aug. 2	90.35	July 19	94.25
Oct. 31	77.40	Sept. 6	92.45	Aug. 15	94.78
Nov. 9	76.15	Oct. 10	88.15	Sept. 5	95.38
Dec. 21	75.16	Nov. 17	86.25	Oct. 12	94.92
Jan. 18, 1954	76.22	Dec. 27	85.67	Nov. 26	92.25
Feb. 1	77.30	Jan. 24, 1955	84.43	Dec. 26	91.23
Mar. 6	80.38	Feb. 21	84.07	Jan. 23, 1956	91.00
Apr. 12	83.30	Mar. 1	84.75		

40. Lat.  $29^{\circ}27'$ , long.  $98^{\circ}32'$ . Depth 850 feet. Land-surface datum is 715.9 feet above msl.

Aug. 25, 1933	40.57	Jan. 18, 1934	40.89	June 19, 1934	43.59
Sept. 18	40.30	Feb. 19	40.23	July 30	42.34
Oct. 12	40.88	Mar. 19	39.59	Nov. 20, 1935	31.34
Nov. 20	40.98	Apr. 18	38.98	Jan. 18, 1936	32.96
Dec. 18	41.08	May 21	40.50	Aug. 26	30.81

44. Lat.  $29^{\circ}25'$ , long.  $98^{\circ}34'$ . Depth 1,000 feet. Land-surface datum is 710.3 feet above msl.

July 25, 1933	33.90	Sept. 19, 1934	39.17	Sept. 27, 1935	24.12
Sept. 18	33.61	Oct. 11	39.77	Jan. 20, 1936	26.78
Oct. 17	34.35	Oct. 25	40.28	Aug. 27	24.87
Dec. 20	34.55	Nov. 19	39.21	Dec. 30	23.79
Jan. 18, 1934	34.42	Dec. 20	39.10	Nov. 27, 1950	51.75
Feb. 19	33.94	Feb. 1, 1935	39.17	Dec. 4	51.90
Mar. 19	33.18	Feb. 20	38.78	Jan. 5, 1951	52.49
Apr. 19,	32.05	Apr. 9	39.44	Feb. 7	55.82
May 21	34.77	May 21	30.04	Mar. 5	55.89
June 19	37.33	June 28	20.18	Mar. 10	56.75
Aug. 22	38.78	Aug. 3,	24.22	June 11	55.81

(Continued on next page)

## BEXAR COUNTY

44. - Continued

Date	Water level	Date	Water level	Date	Water level
Aug. 7, 1951	64.49	Oct. 31, 1951	63.14	Aug. 4, 1952	61.75
Sept. 11	62.98	Dec. 27	62.82	Nov. 4	61.58
Oct. 1	62.40	Mar. 4, 1952	61.48	Jan. 5, 1953	56.73
Oct. 8	61.82	Apr. 4	62.70	Mar. 9	61.40

52. Lat.  $29^{\circ}26'$ , long.  $98^{\circ}32'$ . Land-surface datum is 676.1 feet above msl.

Apr. 8, 1933	+1.43	May 21, 1934	1.85	May 20, 1935	+1.75
July 18	1.55	June 19	4.45	June 27	+12.00
Aug. 17	1.38	Aug. 22	5.69	Aug. 3	+7.70
Sept. 18	1.10	Sept. 19	6.14	Sept. 27	+7.95
Oct. 17	1.84	Oct. 11	6.67	Jan. 21, 1936	+5.15
Nov. 20	1.85	Oct. 25	7.23	Aug. 27	+6.50
Dec. 20	1.90	Nov. 19	6.42	Dec. 30	+8.00
Jan. 18, 1934	1.75	Dec. 20	6.09	Nov. 7, 1952	34.0
Feb. 19	1.24	Jan. 31, 1935	5.86	Jan. 4, 1956	46.3
Mar. 19	0.56	Feb. 28	5.78		
Apr. 19	+0.61	Apr. 8	6.66		

53. Lat.  $29^{\circ}26'$ , long.  $98^{\circ}32'$ . Land-surface datum is 668.2 feet above msl.

Aug. 14, 1952	33.45	Nov. 5, 1953	21.26	Jan. 4, 1955	30.44
Nov. 7	26.10	Jan. 6, 1954	22.04	Mar. 3	29.59
Jan. 5, 1953	15.73	Mar. 3	26.46	Apr. 6	33.19
Mar. 9	20.70	May 3	26.84	May 4	38.82
May 5	25.30	July 7	33.60	June 2	36.81
July 17	33.15	Aug. 23	36.60		
Sept. 17	21.88	Nov. 4	31.93		

## BEXAR COUNTY

58. Lat.  $29^{\circ}26'$ , long.  $98^{\circ}31'$ . Depth 498 feet. Land-surface datum is 663.4 feet above msl.

Date	Water level	Date	Water level	Date	Water level
July 21, 1932	+11.4	Feb. 19, 1934	+11.2	Jan. 31, 1935	+6.48
Oct. 18	+16.0	Apr. 19	+12.8	Feb. 28	+6.70
Nov. 18	+14.8	May 21	+10.5	Apr. 8	+6.00
Apr. 9, 1933	+13.7	June 19	+7.8	May 20	+14.35
July 18	+10.9	July 27	+9.1	June 27	+25.48
Aug. 17	+11.2	Aug. 22	+6.38	Aug. 3	+21.50
Sept. 18	+11.2	Sept. 19	+6.15	Sept. 27	+21.70
Oct. 17	+10.7	Oct. 11	+5.61	Aug. 29, 1936	+18.7
Nov. 20	+10.6	Oct. 25	+5.15	Jan. 4, 1937	+20.1
Dec. 20	+10.6	Nov. 19	+6.30		
Jan. 18, 1934	+10.9	Dec. 20	+6.41		

67. Lat.  $29^{\circ}25'$ , long.  $98^{\circ}30'$ . Depth 802 feet. Land-surface datum is 667.1 feet above msl.

Aug. 1, 1933	+5.75	June 19, 1934	+1.80	Mar. 1, 1935	+1.50
Sept. 18	+6.29	July 27	+2.48	Apr. 8	+0.92
Nov. 20	+5.25	Aug. 22	+0.77	May 21	+9.00
Dec. 18	+5.36	Sept. 19	+0.45	June 27	+17.75
Jan. 18, 1934	+5.69	Oct. 11	0.09	Sept. 27	+13.95
Feb. 19	+5.93	Oct. 25	0.95	Nov. 20	+13.39
Mar. 19	+6.36	Nov. 19	+0.64	Jan. 21, 1936	+11.15
Apr. 19	+7.58	Dec. 20	+1.10	Aug. 27	+12.59
May 21	+4.40	Jan. 31, 1935	+1.25	Jan. 4, 1937	+14.89

87. Lat.  $29^{\circ}26'$ , long.  $98^{\circ}27'$ . Depth 900 feet. Land-surface datum is 710.3 feet above msl.

Aug. 7, 1933	38.76	Mar. 20, 1934	37.74	Oct. 8, 1934	43.16
Sept. 19	37.79	Apr. 19	36.38	Oct. 25	44.33
Oct. 18	38.95	May 22	39.55	Nov. 19	43.11
Nov. 21	38.68	June 20	42.03	Dec. 20	42.76
Dec. 20	38.70	July 27	41.46	Jan. 31, 1935	42.85
Jan. 20, 1934	38.64	Aug. 23	43.42	Mar. 1	42.42
Feb. 20	37.95	Sept. 20	43.47	Apr. 8	43.28

(Continued on next page)

## BEXAR COUNTY

87. - Continued

Date	Water level	Date	Water level	Date	Water level
May 19, 1935	34.73	Jan. 5, 1953	60.24	Aug. 24, 1954	82.44
June 27	26.24	Mar. 6	65.30	Nov. 2	78.36
Aug. 3	30.14	May 7	69.99	Jan. 5, 1955	77.34
Sept. 26	29.80	July 14	76.46	Mar. 3	76.35
Nov. 19	30.62	Sept. 18	64.93	May 5	79.02
Jan. 21, 1936	31.61	Nov. 4	66.56	July 6	81.07
Aug. 29	30.58	Jan. 5, 1954	65.88	Sept. 2	83.37
Jan. 5, 1937	29.07	Mar. 2	68.10	Oct. 31	84.57
Aug. 15, 1952	77.78	May 4	72.60	Jan. 6, 1956	84.57
Nov. 3	70.38	July 7	76.25		

103. Lat.  $29^{\circ}25'$ , long.  $98^{\circ}28'$ . Depth 1,020 feet. Land-surface datum is 675.3 feet above msl.

Aug. 4, 1933	4.89	Apr. 19, 1934	2.23	Nov. 19, 1934	9.43
Sept. 18	3.67	May 22	5.82	Dec. 20	8.21
Oct. 18	4.77	June 20	7.97	Jan. 31, 1935	8.10
Nov. 21	4.74	July 27	7.02	Mar. 1	7.54
Dec. 20	3.57	Aug. 22	9.32	Apr. 8	8.58
Jan. 18, 1934	4.01	Sept. 19	9.05	May 19	0.16
Feb. 20	3.06	Oct. 12	9.52	June 27	3.1
Mar. 20	2.44	Oct. 25	9.64		

118. Lat.  $29^{\circ}25'$ , long.  $98^{\circ}29'$ . Depth 765 feet. Land-surface datum is 644.4 feet above msl.

July 26, 1933	+16.4	June 20, 1934	+13.3	Apr. 9, 1935	+13.8
Sept. 19	+18.7	July 27	+14.5	May 21	+22.2
Oct. 18	+14.3	Aug. 22	+12.5	June 27	+30.2
Nov. 21	+17.6	Sept. 19	+12.6	Aug. 5	+27.5
Dec. 20	+17.6	Oct. 12	+12.8	Sept. 26	+27.3
Jan. 18, 1934	+18.2	Oct. 25	+12.9	Nov. 21	+26.9
Feb. 20	+17.8	Nov. 19	+13.6	Jan. 21, 1936	+25.6
Mar. 20	+18.7	Dec. 20	+13.4	Dec. 30	+27.3
Apr. 19	+19.2	Jan. 31, 1935	+14.1		
May 22	+16.4	Mar. 1	+14.3		

## BEXAR COUNTY

148. Lat.  $29^{\circ} 25'$ , long.  $98^{\circ} 29'$ . Depth 836 feet. Land-surface datum is 644.5 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Nov. 27, 1933	+28.6	July 15, 1953	13.24	Oct. 4, 1954	12.47
July 17, 1952	10.21	Aug. 7	15.34	Nov. 1	11.13
July 18	6.26	Sept. 17	0.18	Dec. 2	10.67
July 21	4.98	Oct. 16	+2.35	Jan. 5, 1955	9.34
Aug. 5	9.02	Nov. 2	+0.58	Feb. 1	8.26
Aug. 29	13.33	Dec. 7	+1.47	Mar. 5	8.71
Oct. 2	3.79	Jan. 5, 1954	+1.55	Apr. 4	11.75
Nov. 3	4.52	Feb. 4	0.97	May 5	17.32
Dec. 3	+2.45	Mar. 1	3.27	June 2	15.75
Jan. 8, 1953	+5.45	Apr. 6	8.30	July 8	21.58
Feb. 9	+2.54	May 3	5.96	Aug. 4	20.89
Mar. 4	+0.91	June 7	10.48	Oct. 5	19.95
Apr. 7	0.25	July 6	9.80	Nov. 3	20.36
May 10	4.76	Aug. 4	14.99	Dec. 5	14.87
June 3	8.48	Aug. 23	16.44	Jan. 5, 1956	15.51

159. Lat.  $29^{\circ} 24'$ , long.  $98^{\circ} 29'$ . Depth 1,103 feet. Land-surface datum is 627.1 feet above msl.

Aug. 2, 1933	+47.6	Sept. 19, 1934	+42.1	Jan. 7, 1955	+11.0
Sept. 18	+47.8	Oct. 9	+42.5	Mar. 4	+8.7
Oct. 18	+47.2	Oct. 25	+41.60	Apr. 4	+4.18
Nov. 20	+47.2	Apr. 10, 1935	+42.70	May 3	+0.88
Dec. 20	+47.1	May 21	+52.00	June 3	+1.35
Jan. 18, 1934	+27.2	June 27	+61.00	July 8	3.66
Feb. 19	+47.8	Aug. 5	+57.90	Aug. 4	2.97
Mar. 19	+48.8	Sept. 27	+57.8	Aug. 29	3.82
Apr. 19	+49.3	Nov. 21	+61.2	Oct. 5	1.94
May 21	+46.7	Jan. 21, 1936	+56.4	Nov. 4	1.29
June 19	+43.8	Aug. 29	+55.1	Dec. 5	2.99
July 27	+44.4	Dec. 30	+57.1	Jan. 5, 1956	1.81
Aug. 22	+42.4	Jan. 18, 1951	+17.0		

## BEXAR COUNTY

175. Lat.  $29^{\circ}22'$ , long.  $98^{\circ}29'$ . Depth 2,103 feet, cased to 1,200 feet.  
 Land-surface datum is 621.6 feet above msl. Since 1950, weekly  
 highest water level from recorder graph.

Date	Water level	Date	Water level	Date	Water level
Aug. 21, 1933	+39.0	Dec. 28, 1950	+21.0	June 10, 1952	+9.0
Sept. 19	+39.8	Jan. 6, 1951	+22.2	June 17	+9.5
Oct. 18	+39.4	Jan. 20	+20.8	July 1	+7.8
Nov. 20	+38.8	Feb. 3	+22.0	July 8	+6.4
Dec. 20	+38.6	Feb. 17	+19.8	July 15	+7.0
Jan. 18, 1934	+38.6	Mar. 12	+19.1	July 22	+7.2
Feb. 19	+38.9	Mar. 26	+17.7	July 29	+6.8
Mar. 19	+40.0	Apr. 12	+18.4	Aug. 5	+5.8
Apr. 19	+40.0	May 21	+18.0	Aug. 12	+4.9
May 21	+38.6	June 1	+16.8	Aug. 19	+3.8
June 19	+36.5	June 11	+18.0	Aug. 26	+1.08
July 27	+34.6	June 16	+17.3	Sept. 2	+0.41
Aug. 22	+34.6	June 26	+15.4	Sept. 9	+0.74
Sept. 19	+34.6	July 3	+14.8	Sept. 16	+6.1
Oct. 9	+34.4	July 12	+13.2	Sept. 23	+8.1
Oct. 25	+33.7	July 23	+12.6	Sept. 30	+8.9
Nov. 19	+35.0	Aug. 6	+11.0	Oct. 7	+8.2
Dec. 20	+34.0	Aug. 10	+10.0	Oct. 14	+8.1
Feb. 1, 1935	+34.6	Aug. 18	+9.8	Oct. 21	+7.9
Feb. 28	+34.9	Aug. 28	+8.8	Oct. 28	+7.9
Apr. 10	+35.9	Sept. 15	+9.5	Nov. 4	+8.3
May 21	+38.0	Oct. 1	+12.2	Nov. 10	+8.2
June 27	+48.8	Oct. 10	+11.3	Nov. 18	+8.6
Aug. 5	+47.2	Nov. 12	+13.4	Nov. 25	+10.5
Sept. 27	+45.7	Nov. 27	+12.0	Dec. 2	+12.1
Nov. 21	+46.8	Dec. 8	+12.5	Dec. 9	+13.6
Jan. 21, 1936	+45.7	Dec. 21	+11.8	Dec. 16	+13.3
Aug. 29	+45.0	Jan. 8, 1952	+13.5	Dec. 23	+13.7
Dec. 30	+47.5	Jan. 26	+12.5	Dec. 31	+14.7
Oct. 10, 1950	+19.2	Feb. 16	+12.0	Jan. 8, 1953	+17.6
Oct. 17	+20.7	Mar. 8	+12.8	Jan. 14	+16.6
Oct. 23	+21.5	Mar. 15	+11.6	Jan. 20	+16.7
Nov. 6	+20.0	Apr. 3	+11.0	Jan. 28	+16.0
Nov. 14	+19.6	Apr. 10	+10.1	Feb. 9	+15.6
Nov. 22	+19.5	Apr. 26	+12.0	Feb. 18	+15.1
Dec. 6	+20.8	May 7	+10.3	Feb. 24	+14.8
Dec. 18	+20.0	June 3	+10.0	Mar. 4	+14.9

(Continued on next page)

## BEXAR COUNTY

175. - Continued.

Date	Water level	Date	Water level	Date	Water level
Mar. 11, 1953	+14.7	Jan. 20, 1954	+13.6	Nov. 4, 1954	+0.42
Mar. 19	+14.4	Jan. 27	+12.7	Nov. 16	+2.53
Mar. 26	+13.2	Feb. 3	+12.6	Nov. 24	+2.95
Apr. 3	+12.2	Feb. 11	+12.3	Dec. 3	+2.93
Apr. 9	+13.0	Feb. 19	+12.7	Dec. 9	+2.53
Apr. 20	+12.2	Feb. 26	+11.2	Dec. 17	+2.70
Apr. 27	+12.2	Mar. 5	+9.7	Dec. 24	+2.88
May 5	+10.9	Mar. 12	+10.8	Jan. 3, 1955	+3.77
May 13	+9.0	Mar. 19	+9.9	Jan. 20	+4.25
May 18	+10.7	Mar. 26	+6.82	Jan. 31	+4.50
May 25	+10.0	Apr. 2	+5.08	Feb. 9	+4.95
June 4	+7.6	Apr. 9	+4.64	Feb. 15	+5.12
June 10	+5.7	Apr. 16	+4.7	Feb. 22	+5.11
June 16	+5.0	Apr. 24	+4.5	Mar. 15	+3.6
June 23	+4.2	Apr. 30	+4.7	Mar. 24	+3.36
July 1	+3.6	May 6	+5.3	Mar. 30	+3.47
July 15	+4.2	May 17	+5.0	Apr. 20	+0.06
July 31	+0.07	May 23	+3.97	Apr. 26	1.21
Aug. 7	0.92	June 2	+3.9	May 5	3.06
Aug. 17	1.85	June 11	+0.66	May 19	3.15
Aug. 25	0.15	June 18	0.60	May 27	0.64
Sept. 3	+4.35	June 25	0.17	June 3	2.13
Sept. 17	+11.2	July 2	+1.2	June 14	2.31
Sept. 28	+11.1	July 9	0.5	June 23	3.92
Oct. 6	+10.9	July 16	1.12	July 1	5.77
Oct. 14	+10.8	July 23	1.92	July 8	6.51
Oct. 22	+10.5	July 30	3.76	July 20	6.39
Oct. 28	+11.6	Aug. 6	3.00	July 29	6.76
Nov. 6	+12.5	Aug. 17	4.12	Aug. 10	7.39
Nov. 16	+13.5	Aug. 23	3.91	Aug. 18	7.16
Nov. 24	+13.9	Sept. 3	3.53	Sept. 30	6.99
Dec. 4	+13.1	Sept. 13	3.97	Oct. 24	6.85
Dec. 14	+13.2	Sept. 20	3.72	Nov. 4	6.62
Dec. 21	+14.1	Sept. 27	3.42	Nov. 20	4.22
Dec. 29	+13.3	Oct. 5	1.74	Dec. 2	3.29
Jan. 6, 1954	+13.3	Oct. 15	+0.12	Dec. 15	2.94
Jan. 14	+12.6	Oct. 26	+0.40	Jan. 8, 1956	2.73

## BEXAR COUNTY

204. Lat.  $29^{\circ}24'$ , long.  $98^{\circ}31'$ . Depth 915 feet. Land-surface datum is 652.0 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Sept. 15, 1933	+21.5	July 27, 1934	+19.7	May 21, 1935	+27.2
Oct. 18	+22.0	Aug. 22	+16.9	June 27	+35.9
Nov. 20	+23.0	Sept. 19	+16.9	Aug. 5	+33.1
Dec. 20	+23.6	Oct. 9	+17.1	Sept. 27	+20.3
Jan. 18, 1934	+22.5	Oct. 25	+16.2	Oct. 21	+31.7
Feb. 19	+22.5	Nov. 19	+18.05	Jan. 21, 1936	+31.1
Mar. 19	+22.9	Dec. 20	+18.3	Aug. 29	+29.4
Apr. 19	+23.9	Jan. 31, 1935	+16.4	Dec. 30	+32.0
May 21	+19.7	Feb. 28	+19.2		
June 19	+18.5	Apr. 8	+18.4		

205. Lat.  $29^{\circ}24'$ , long.  $98^{\circ}31'$ . Land-surface datum is 658.2 feet above msl.

Aug. 15, 1952	25.9	Nov. 3, 1953	14.34	Jan. 5, 1955	24.56
Oct. 21	17.58	Jan. 5, 1954	14.48	Mar. 3	24.10
Dec. 23	12.10	Mar. 5	18.71	Apr. 5	29.27
Mar. 4, 1953	14.26	May 6	23.11	July 7	37.48
May 5	16.45	July 9	28.47	Aug. 4	35.93
Aug. 7,	30.95	Aug. 25	32.27		
Sept. 17	15.55	Nov. 4	25.38		

211. Lat.  $29^{\circ}22'$ , long.  $98^{\circ}31'$ . Depth 1,364 feet. Land-surface datum is 643.8 feet above msl.

Aug. 21, 1952	11.98	Nov. 3, 1953	+1.60	Jan. 4, 1955	8.49
Oct. 21	2.62	Jan. 5, 1954	+2.13	Mar. 3	8.32
Dec. 23	+4.90	Mar. 5	2.65	May 5	17.28
Mar. 4, 1953	+0.90	May 6	6.86	July 8	20.95
May. 5	2.30	July 9	13.64	Aug. 31	19.41
July 17	11.85	Aug. 25	16.93	Nov. 4	18.39
Sept. 17	+1.10	Nov. 4	10.39	Jan. 5, 1956	15.10

## BEXAR COUNTY

224. Lat.  $29^{\circ}25'$ , long.  $98^{\circ}35'$ . Depth 965 feet. Land-surface datum is 723.8 feet above msl. Monthly highest water level from recorder graph.

Date	Water level	Date	Water level	Date	Water level
Oct. 25, 1948	63.57	Apr. 1, 1951	68.54	Oct. 31, 1953	77.16
Nov. 26	63.62	May 27	68.89	Nov. 8	76.01
Dec. 1	64.10	June 4	68.08	Dec. 21	75.11
Jan. 3, 1949	64.28	July 2	73.40	Jan. 2, 1954	75.52
Feb. 28	61.58	Aug. 6	78.49	Feb. 1	77.50
Mar. 6	60.90	Sept. 26	76.25	Mar. 6	80.34
Apr. 29	48.86	Oct. 29	75.99	Apr. 19	83.34
May 2	48.21	Nov. 28	75.58	May 3	83.30
June 13	52.65	Dec. 3	75.22	June 1	85.62
July 5	53.41	Jan. 7, 1952	75.64	July 1	87.26
Aug. 9	56.92	Feb. 29	76.52	Aug. 3	90.51
Sept. 5	60.59	Mar. 3	76.12	Sept. 2, 1954	92.15
Oct. 28	53.35	Apr. 26	75.93	Oct. 11	87.63
Nov. 1	54.01	May 3	76.95	Nov. 16	86.22
Dec. 19	56.78	June 2	77.84	Dec. 27	85.69
Jan. 3, 1950	56.76	July 1	81.05	Jan. 24, 1955	84.43
Feb. 22	55.66	Aug. 3	84.09	Feb. 21	84.12
Mar. 6	55.91	Sept. 22	78.08	Mar. 1	84.78
Apr. 24	57.92	Oct. 1	79.22	Apr. 11	87.60
May 15	57.77	Nov. 30	75.13	May 23	88.15
June 6	56.34	Dec. 31	71.32	June 12	90.72
July 3	61.08	Jan. 5, 1953	70.37	July 18	94.58
Aug. 15	63.20	Feb. 2	72.87	Aug. 19	95.28
Sept. 28	63.58	Mar. 1	74.42	Sept. 5	95.85
Oct. 2	63.36	Apr. 6	76.32	Oct. 12	95.40
Nov. 13	65.38	May 18	78.48	Nov. 25	93.27
Dec. 26	65.55	June 1	83.23	Dec. 26	91.17
Jan. 2, 1951	65.57	July 5	84.65	Jan. 23, 1956	91.56
Feb. 26	67.50	Aug. 31	83.15		
Mar. 1	67.70	Sept. 14	74.49		

247. Lat.  $29^{\circ}28'$ , long.  $98^{\circ}31'$ . Land-surface datum is 751.3 feet above msl.

Nov. 14, 1950	98.60	Mar. 5, 1951	100.05	Sept. 10, 1951	113.64
Dec. 5	98.98	May 11	101.40	Oct. 30	108.20
Jan. 5, 1951	99.57	June 6	96.73	Mar. 4, 1952	108.87
Feb. 6	100.38	Aug. 6	113.40	Apr. 3	105.30

(Continued on next page)

## BEXAR COUNTY

247. - Continued.

Date	Water level	Date	Water level	Date	Water level
Sept. 5, 1952	120.70	May 6, 1953	111.70	Nov. 6, 1953	107.52
Nov. 4	113.8	July 14	118.94	Jan. 6, 1954	107.79
Jan. 8, 1953	102.8	Sept. 22	109.74		

D-1. Lat.  $29^{\circ}31'$ , long.  $98^{\circ}48'$ . Depth 1,000 feet. Land-surface datum is 1,044.6 feet above msl.

July 22, 1933	286.90	Aug. 27, 1936	241.67	July 1, 1952	369.15
May 23, 1934	286.71	Jan. 4, 1937	259.26	Sept. 4	379.75
June 21	292.15	Aug. 30, 1949	295.6	Nov. 5	361.58
July 31	279.59	Oct. 7	296.82	Jan. 7, 1953	332.08
Aug. 24	296.46	June 5, 1950	286.48	Mar. 3	354.60
Sept. 21	300.21	Sept. 6	322.77	May 6	352.71
Oct. 10	302.05	Oct. 4	326.10	July 16	363.55
Dec. 21	303.27	Nov. 6	332.13	Sept. 21	319.95
Feb. 3, 1935	309.02	Dec. 5	338.17	Nov. 5	336.75
Feb. 4	309.06	Jan. 5, 1951	346.96	Jan. 7, 1954	353.33
Apr. 9	309.76	Feb. 8	252.65	Mar. 4	363.84
May 21	254.77	Mar. 6	353.75	May 5	370.89
June 28	219.02	May 12	356.45	July 8	376.94
July 2	239.60	Sept. 11	366.18	Aug. 26	384.61
Sept. 27	236.15	Nov. 1	367.60	Nov. 1	372.23
Jan. 27, 1936	267.10	Dec. 28	367.80	Mar. 1, 1955	376.01

D-4. Lat.  $29^{\circ}31'$ , long.  $98^{\circ}45'$ . Depth 720 feet. Land-surface datum is 956.1 feet above msl.

Sept. 20, 1933	222	July 5, 1950	236.10	June 7, 1951	272.90
Aug. 24, 1934	230.22	Sept. 6	248.66	Aug. 7	287.06
Aug. 31, 1949	236.70	Oct. 5	251.76	Sept. 11	289.83
Oct. 7	244.52	Nov. 8	257.59	Nov. 1	287.82
Nov. 4	238.57	Dec. 5	260.90	Dec. 28	290.95
Jan. 27, 1950	245.23	Jan. 5, 1951	268.20	Mar. 5, 1952	288.90
Feb. 24	239.43	Feb. 6	272.81	Apr. 3	285.98
Mar. 29	247.53	Mar. 6	274.54	July 1	290.20
May 3	242.71	May 12	277.80	Sept. 4	299.32

(Continued on next page)

## BEXAR COUNTY

D-4. - Continued.

Date	Water level	Date	Water level	Date	Water level
Nov. 5, 1952	284.21	Mar. 5, 1954	285.10	May 2, 1955	306.48
Jan. 7, 1953	257.29	May 5	291.79	July 5	310.42
Mar. 3	276.23	July 8	297.43	Aug. 29	312.70
May 6	279.07	Aug. 26	303.06	Nov. 1	314.27
Sept. 21	246.24	Nov. 1	295.92	Jan. 3, 1956	313.37
Nov. 5	262.22	Jan. 4, 1955	294.52		
Jan. 8, 1954	275.58	Mar. 1	297.72		

D-5. Lat. 29°30', long. 98°44'. Depth 570 feet. Land-surface datum is 936.8 feet above msl.

Sept. 22, 1933	233.86	July 5, 1950	243.93	May 12, 1951	268.20
Aug. 30, 1949	242.98	Sept. 6	251.83	June 7	265.25
Nov. 4	237.63	Oct. 5	253.20	Aug. 7	275.11
Jan. 27, 1950	246.83	Nov. 6	239.65	Sept. 11	277.27
Feb. 24	242.99	Dec. 5	258.52	Nov. 1	276.58
Mar. 29	247.10	Jan. 5, 1951	261.42	Dec. 28	276.14
May 3	246.30	Feb. 6	264.28	Mar. 5, 1952	277.72
June 5	230.59	Mar. 6	275.20	Apr. 8	277.37

D-6. Lat. 29°30', long. 98°43'. Depth 466 feet. Land-surface datum is 914.3 feet above msl.

June 17, 1946	215.8	Dec. 5, 1950	243.38	Sept. 4, 1952	266.02
Oct. 7	231.53	Jan. 5, 1951	245.61	Nov. 5	257.51
Nov. 3	222.46	Feb. 6	246.33	Jan. 7, 1953	245.19
Jan. 27, 1950	230.24	Mar. 6	245.33	Mar. 3	251.53
Feb. 24	227.09	May 12	248.02	May 6	255.97
Mar. 29	231.26	June 7	245.27	July 16	263.95
May 3	230.13	Aug. 7	254.76	Sept. 21	245.84
June 5	220.43	Sept. 11	256.92	Nov. 5	250.80
July 5	231.85	Nov. 1	256.50	Jan. 7, 1954	252.96
Aug. 2	235.64	Dec. 28	255.25	Mar. 6	258.33
Sept. 6	236.43	Mar. 5, 1952	256.83	May 5	263.07
Oct. 5	239.65	Apr. 3	256.35	July 8	267.22
Nov. 8	240.56	July 1	259.55	Aug. 26	272.36

(Continued on next page)

## BEXAR COUNTY

D-6.-Continued.

Date	Water level	Date	Water level	Date	Water level
Nov. 1, 1954	269.02	May 2, 1955	272.94	Nov. 1, 1955	279.25
Jan. 4, 1955	266.84	July 5	275.97	Jan. 3, 1956	276.42
Mar. 1	266.28	Aug. 29	278.57		

D-12. Lat.  $29^{\circ}33'$ , long.  $98^{\circ}40'$ . Depth 360 feet. Land-surface datum is 968.0 feet above msl.

Oct. 18, 1932	244.9	Aug. 26, 1936	199.30	Nov. 6, 1952	289.74
Nov. 18	245.65	Dec. 30	214.53	Jan. 7, 1953	281±
Jan. 15, 1933	246.95	Aug. 31, 1949	250.95	Mar. 3	284.05
Apr. 9	246.81	Oct. 11	254.90	May 8	286.85
July 18	252.37	Nov. 4	253.78	Sept. 21	281.94
Sept. 18	255.79	Jan. 27, 1950	259.16	Nov. 5	280.10
Oct. 17	256.98	Feb. 24	259.12	Jan. 8, 1954	283.32
Nov. 20	258.32	Mar. 30	260.25	Mar. 3	286.75
Dec. 18	259.66	May 4	261.11	May 5	290.53
Jan. 19, 1934	260.57	June 5	256.70	July 8	293.64
Feb. 19	259.96	July 6	256.94	Aug. 26	295.49
Mar. 19	258.56	Aug. 2	257.38	Oct. 11	297.05
Apr. 18	255.75	Sept. 6	260.18	Nov. 3	298.06
May 21	253.15	Oct. 6	263.17	Dec. 1	298.77
June 19	255.05	Nov. 8	266.42	Jan. 5, 1955	299.55
July 30	256.88	Dec. 5	269.07	Feb. 1	299.41
Aug. 22	258.02	Jan. 6, 1951	271.12	Mar. 1	300.73
Sept. 19	260.01	Feb. 6	273.55	Apr. 6	301.49
Oct. 13	261.23	Mar. 7	274.70	May 4	304.18
Nov. 20	263.08	May 12	277.97	June 2	302.12
Dec. 19	264.90	June 5	278.49	July 5	303.47
Feb. 2, 1935	265.53	Aug. 7	281.52	Aug. 4	304.97
Feb. 28	265.12	Sept. 11	282.64	Sept. 1	305.46
Apr. 10	265.94	Oct. 30	285.30	Oct. 4	306.51
June 28	229.10	Dec. 28	286.61	Nov. 3	307.41
Sept. 29	215.55	Mar. 4, 1952	288.97	Dec. 5	307.01
Nov. 19	217.05	Apr. 10	289.42	Jan. 12, 1956	308.74
Jan. 18, 1936	223.83	July 1	292.22		

## BEXAR COUNTY

D-13. Lat.  $29^{\circ}33'$ , long.  $98^{\circ}40'$ . Depth 344 feet. Land-surface datum is 986.7 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Oct. 18, 1932	262	Dec. 18, 1933	276.04	Nov. 20, 1934	279.24
Nov. 18	262.00	Jan. 19, 1934	276.82	Dec. 19	281.13
Jan. 15, 1933	264.4	Feb. 19	276.58	Feb. 2, 1935	281.78
Apr. 9	263.2	Apr. 18	273.00	Apr. 10	282.66
July 18	268.42	May 21	270.51	May 20	277.93
Aug. 17	270.2	June 19	272.56	Aug. 26, 1936	213.46
Sept. 18	271.93	July 30	272.85	Dec. 30	220.86
Oct. 17	273.29	Sept. 19	275.95	Aug. 31, 1949	266.29
Nov. 20	274.62	Oct. 13	277.32		

D-15. Lat.  $29^{\circ}34'$ , long.  $98^{\circ}41'$ . Depth  $450 \pm$  feet. Land-surface datum is 1042.8 feet above msl.

Sept. 27, 1933	161.72	Aug. 5, 1935	144.62	Jan. 6, 1951	174.15
Jan. 19, 1934	170.40	Sept. 29	136.80	Feb. 6	177.77
Feb. 19	163.77	Aug. 26, 1936	169.00	Mar. 7	178.64
Mar. 1	166.65	Aug. 31, 1949	165.57	May 13	185.49
Mar. 19	175.6	Nov. 4	156.55	June 5	188.79
Apr. 18	167.40	Jan. 27, 1950	169.34	Aug. 7	202.97
May 21	167.01	Feb. 24	169.02	Sept. 11	204.80
June 19	193.	May 4	178.21	Oct. 30	203.30
July 30	165.32	June 5	175.49	Dec. 28	207.30
Oct. 12	168.86	July 6	172.16	Mar. 4, 1952	206.26
Dec. 19	169.19	Aug. 8	165.92	Apr. 13	199.43
Feb. 2, 1935	171.15	Sept. 7	180.92	June 1	195.96
Apr. 10	171.80	Oct. 6	183.47	Nov. 6	188.7
May 20	168.80	Nov. 8	181.35	Jan. 7, 1953	179.25
June 28	133.05	Dec. 5	184.45		

## BEXAR COUNTY

D-16. Lat.  $29^{\circ}34'$ , long.  $98^{\circ}41'$ . Depth 216 feet. Land-surface datum is 1050.3 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Mar. 19, 1934	78.00	Oct. 12, 1934	78.26	June 28, 1935	71.11
Apr. 18	76.20	Nov. 20	77.93	Aug. 5	72.10
May 21	77.74	Dec. 19	78.04	Sept. 29	68.80
June 19	77.76	Feb. 2, 1935	78.33	Nov. 19	77.58
July 30	75.92	Feb. 28	77.73	Jan. 18, 1936	77.68
Aug. 22	78.20	Apr. 10	77.39	Aug. 26	77.08
Sept. 19	78.24	May 20	65.83	Dec. 30	77.22

D-56. Lat.  $29^{\circ}34'$ , long.  $98^{\circ}41'$ . Depth 220 feet, cased to 85 feet.

Sept. 18, 1952	99.01	Nov. 5, 1953	99.68	Jan. 5, 1955	115.23
Nov. 6	103.89	Jan. 8, 1954	102.3	Mar. 1	113.41
Jan. 7, 1953	97.46	Mar. 3	105.89	May 4	117.45
Mar. 3	102.06	May 5	109.10	July 5	125.44
May 8	105.86	July 8	116.80	Aug. 31	134.53
July 16,	108.45	Aug. 26	116.0±	Nov. 3	150.95
Sept. 21	99.50	Nov. 3	113.37	Jan. 6, 1956	125.23

E-26. Lat.  $29^{\circ}35'$ , long  $98^{\circ}34'$ . Depth 320 feet. Land-surface datum is 1,003.9 feet above msl.

Dec. 22, 1933	288.08	Oct. 6, 1950	289.18	May 8, 1953	302.76
Mar. 2, 1934	288.50	Nov. 8	289.64	July 17	304.14
Oct. 12	291.28	Dec. 5	292.16	Sept. 22	311.1
Mar. 1, 1935	290.88	Jan. 6, 1951	287.39	Jan. 8, 1954	307±
Nov. 20	259.98	Feb. 6	288.05	Mar. 5	306.25±
Sept. 1, 1949	275.65	Mar. 26	292.93	May 6	307.70
Nov. 7	277.84	May 11	290.61	July 9	307.94
Jan. 31, 1950	280.49	June 6	290.79	Aug. 27	308.54
Feb. 27	286.53	July 25	291.89	Nov. 3	309.21
Mar. 30	280.94	Oct. 30	294.55	Mar. 2, 1955	309.94
May 4	281.79	Dec. 28	295.15	May 4	312.68
June 5	281.61	Mar. 4, 1952	296.63	July 7	311.07
July 6	282.41	Sept. 5	301.30	Sept. 2	297.03
Aug. 3, 1950	287.27	Jan. 8, 1953	299.80	Nov. 3	312.26
Sept. 7	290.99	Mar. 9	300.77	Jan. 6, 1956	312.61

## BEXAR COUNTY

E-41. Lat. 29°32', long. 98°38'. Depth 285 feet. Land-surface datum is 906.8 feet above msl.

Date	Water level	Date	Water level	Date	Water level
July 21, 1932	204.7	Dec. 19, 1934	214.99	Sept. 6, 1950	215.79
Oct. 18	200.65	Feb. 2, 1935	215.36	Oct. 6	217.20
Nov. 18	200.98	Feb. 28	215.09	Nov. 8	219.37
Apr. 9, 1933	201.06	Apr. 10	215.93	Dec. 5	220.91
July 18	204.93	May 20	211.50	Jan. 6, 1951	222.57
Aug. 17	206.18	June 28	188.12	Mar. 7	225.32
Sept. 18	207.14	Sept. 29	184.90	May 12	227.96
Oct. 17	207.73	Nov. 19	183.00	June 5	227.97
Nov. 20	208.81	Jan. 18, 1936	185.68	Aug. 7	231.15
Dec. 18	209.73	Aug. 26	168.94	Sept. 11	233.36
Jan. 19, 1934	210.32	Dec. 30	176.61	Oct. 30	235.17
Feb. 19	209.58	Aug. 31, 1949	209.13	Dec. 28	236.36
Mar. 19	208.48	Oct. 11	212.62	Mar. 4, 1952	238.14
Apr. 18	207.02	Nov. 4	208.84	Apr. 19	238.88
May 21	205.95	Jan. 27, 1950	212.37	July 1	239.80
June 19	207.54	Feb. 24	212.40	Sept. 4	240.96
July 30	209.54	Mar. 30	213.14	Nov. 6	239.88
Aug. 22	209.83	May 3	212.67	Jan. 7, 1953	235.83
Sept. 19	211.50	June 5	212.19	Mar. 3	234.5+
Oct. 11	213	July 6	212.32	May 8	237.75+
Nov. 20	214.05	Aug. 2	215.44	July 16	242.90

E-45. Lat. 29°30', long. 98°37'. Land-surface datum is 875.6 feet above msl.

July 21, 1932	190.3	Feb. 19, 1934	191.04	Feb. 28, 1935	197.05
Oct. 18	184.9	Mar. 19	189.96	Apr. 10	197.70
Nov. 18	185.71	Apr. 18	188.76	May 20	181.90
Apr. 9, 1933	186.0	May 21	190.84	June 28	170.28
July 18	190.17	June 19	193.61	Aug. 5	176.40
Aug. 17	190.51	July 30	192.61	Sept. 29	175.72
Sept. 18	190.65	Aug. 22	195.39	Jan. 18, 1936	180.00
Oct. 17	191.23	Sept. 19	196.54	Aug. 26	175.25
Nov. 20	191.65	Nov. 20	197.14	Dec. 30	175.88
Dec. 18	192.03	Dec. 19	197.51		
Jan. 19, 1934	191.65	Feb. 2, 1935	197.39		

## BEXAR COUNTY

E-46. Lat. 29°31', long 98°35'. Depth 355 feet. Land-surface datum is 893.7 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Sept. 28, 1933	190.65	Mar. 30, 1950	220.98	Dec. 5, 1950	231.35
Oct. 11, 1934	215.2	May 3	219.90	Jan. 5, 1951	228.94
Aug. 31, 1949	220.40	June 5	216.91	Feb. 6	230.70
Oct. 11	222.43	July 6	163.86	Mar. 7	231.30
Nov. 7	215.68	Sept. 7	225.57	Sept. 12,	241.60
Jan. 31, 1950	219.09	Oct. 6	225.68		
Feb. 27	218.74	Nov. 8	227.82		

E-60. Lat. 29°32', long. 98°33'. Depth 255 feet. Land-surface datum is 894.1 feet above msl.

Aug. 6, 1933	214.9	May 11, 1951	237.82	Mar. 4, 1954	248.75
Oct. 11, 1934	220.1	June 6	235.93	July 9	256.22
Sept. 1, 1949	224.91	Aug. 6	244.46	Aug. 27	260.84
Nov. 7	220.27	Sept. 12	246.18	Nov. 3	257.76
Jan. 31, 1950	223.76	Oct. 30	244.07	Dec. 1	256.25
Feb. 27	221.01	Dec. 27	243.80	Jan. 7, 1955	255.68
Mar. 30	225.02	Mar. 4, 1952	244.97	Feb. 3	256.23
May 3	224.14	Apr. 3	244.99	Mar. 3	254.33
June 5	221.72	July 2	248.80	Apr. 7	257.61
July 6	227.31	Sept. 5	254.45	May 4	260.95
Aug. 3	230.41	Nov. 7	248.94	June 2	259.49
Sept. 7	230.39	Jan. 8, 1953	238.12	July 7	263.27
Oct. 6	230.63	Mar. 9,	243.31	Aug. 2	264.22
Nov. 8	232.48	May 8	247.47	Sept. 2	265.35
Dec. 5	232.81	July 7	254.40	Nov. 4	265.49
Jan. 6, 1951	233.46	Sept. 22	243.79	Dec. 6	262.08
Feb. 6	234.88	Nov. 6	244.65	Jan. 6, 1956	261.94
Mar. 7	236.85	Jan. 8, 1954	244.75		

## BEXAR COUNTY

E-74. Lat.  $29^{\circ}30'$ , long.  $98^{\circ}32'$ . Depth 436 feet. Land-surface datum is 841.1 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Aug. 3, 1950	177.41	Aug. 6, 1951	191.06	Mar. 9, 1953	187.24
Sept. 7	177.26	Sept. 12	191.98	May 8	192.85
Oct. 9	176.42	Oct. 30	188.19	July 17	199.70
Nov. 9	177.84	Dec. 27	187.95	Sept. 22	189.62
Dec. 5	177.88	Mar. 4, 1952	188.74	Nov. 6	188.00
Jan. 6, 1951	178.44	Apr. 3	188.83	Jan. 8, 1954	189.56
Feb. 6	179.75	July 2	193.10	Mar. 4	193.08
Mar. 5	180.20	Sept. 5	199.86	May 6	197.70
May 11	182.30	Nov. 7	193.2	July 9	201.87
June 6	180.00	Jan. 6, 1953	182.55		

E-75. Lat.  $29^{\circ}31'$ , long.  $98^{\circ}32'$ . Depth  $325 \pm$  feet. Land-surface datum is 837.6 feet above msl.

Mar. --, 1952	188.9	Aug. 2, 1955	207.83	Dec. 6, 1955	203.89
Mar. 3, 1955	196.96	Sept. 2	207.58	Jan. 6, 1956	204.13
May 4	204.97	Oct. 4	207.63		
July 7	207.79	Nov. 3	208.13		

E-143. Lat.  $29^{\circ}30'$ , long.  $98^{\circ}36'$ . Land-surface datum is 874.8 feet above msl

Feb. 27, 1950	198.40	May 11, 1951	215.00	Sept. 21, 1953	220.52
Mar. 30	202.28	June 6	212.91	Nov. 5	221.20
May 3	201.01	Aug. 7	222.82	Jan. 7, 1954	221.76
June 5	197.40	Sept. 11	224.39	Mar. 3	226.44
July 6	203.70	Oct. 30	221.63	May 11	229.80
Aug. 2	207.06	Dec. 27	221.52	July 8	234.67
Sept. 6	208.39	Mar. 14, 1952	222.60	Aug. 26	239.72
Oct. 5	208.91	Apr. 3	222.77	Nov. 3	235.02
Nov. 8	209.69	July 1	226.35	Jan. 5, 1955	232.97
Dec. 5	209.55	Sept. 4	233.04	May 4	240.12
Jan. 5, 1951	212.20	Nov. 6	226.0	Aug. 30	245.32
Feb. 6	212.25	Jan. 7, 1953	215.53	Nov. 3	244.00
Mar. 6	213.38	Mar. 3	219.97	Jan. 6, 1956	240.09

## BEXAR COUNTY

E-171. Lat.  $29^{\circ}32'$ , long.  $98^{\circ}38'$ . Depth  $340 \pm$  feet.

Date	Water level	Date	Water level	Date	Water level
Mar. 3, 1954	280.22	Nov. 3, 1954	290.68	July 5, 1955	304.20
May 5	284.69	Jan. 5, 1955	291.48	Nov. 3	299.01
July 8,	286.08	Mar. 1	291.75	Jan. 6, 1956	299.91
Aug. 26	288.32	May 4	295.91		

F-11. Lat.  $29^{\circ}36'$ , long  $98^{\circ}25'$ . Depth 300 feet. Land-surface datum is 948.2 feet above msl.

July 20, 1932	259.0	July 17, 1933	262.42	Nov. 21, 1933	262.75
Oct. 19	260.5	Aug. 18	261.40	Dec. 20	262.95
Apr. 10, 1933	261.95	Oct. 18	262.64	May 22, 1934	259.7

F-12. Lat.  $29^{\circ}35'$ , long.  $98^{\circ}24'$ . Depth 276 feet. Land-surface datum is 907.7 feet above msl.

July 20, 1932	234.08	Apr. 10, 1935	238.18	Jan. 4, 1951	249.61
Oct. 19	232.4	June 26	223.25	Feb. 5	250.65
Jan. 16, 1933	232.38	Aug. 3	221.63	Mar. 7	251.30
July 17	234.68	Nov. 20	220.47	May 11	253.21
Sept. 19	235.28	Jan. 18, 1936	222.85	June 8	252.38
Nov. 21	235.77	Aug. 28	218.26	Aug. 6	261.53
Dec. 20	236.04	Sept. 13, 1949	241.56	Sept. 10	258.96
Jan. 19, 1934	236.17	Oct. 4	242.81	Oct. 30	258.94
Feb. 20	234.88	Nov. 7	240.10	Dec. 27	258.76
Mar. 20	233.57	Jan. 31, 1950	241.70	Feb. 29, 1952	259.82
Apr. 19	233.54	Feb. 27	241.02	Apr. 4	260.19
May 22	234.20	Mar. 30	242.02	June 30	261.42
June 20	235.76	May 4	244.60	Sept. 3	265.45
July 30	236.63	June 6	243.12	Nov. 3	262.60
Aug. 23	236.82	July 6	244.80	Jan. 6, 1953	256.80
Sept. 20	238.00	Aug. 7	247.45	Mar. 6	257.35
Oct. 10	238.40	Sept. 7	247.75	May 7	260.64
Nov. 20	239.00	Oct. 6	247.69	July 17	265.24
Feb. 2, 1935	238.48	Nov. 8	248.98	Sept. 18	262.16
Mar. 1	237.62	Dec. 5	249.30	Nov. 4	261.07

(Continued on next page)

## BEXAR COUNTY

F-12. - Continued.

Date	Water level	Date	Water level	Date	Water level
Jan. 8, 1954	259.7	Oct. 12, 1954	272.56	July 6, 1955	273.97
Mar. 2	261.72	Nov. 2	271.14	Sept. 1	276.36
May 5	265.16	Jan. 6, 1955	269.89	Nov. 2	277.29
July 7	267.96	Mar. 2	272.54	Jan. 4, 1956	275.60
Aug. 26	271.15	May 3	272.04		

F-20. Lat.  $29^{\circ}37'$ , long.  $98^{\circ}20'$ . Depth 310 feet. Land-surface datum is 867.4 feet above msl.

Oct. 12, 1933	204.12	Jan. 4, 1951	217.12	May 4, 1954	229.21
Oct. 10, 1934	206.22	Mar. 7	218.33	July 7	232.06
Aug. 9, 1935	189.43	May 11	219.88	Aug. 25	235.02
Nov. 21	190.08	June 8	218.51	Oct. 12	235.22
Jan. 19, 1936	191.82	Aug. 8	228.80	Nov. 2	234.80
Sept. 13, 1949	209.81	Sept. 10	224.60	Dec. 2	233.89
Oct. 4	211.03	Oct. 29	220.50	Jan. 6, 1955	233.49
Nov. 7	209.47	Dec. 27	224.52	Feb. 2	232.90
Feb. 1, 1950	207.40	Apr. 4, 1952	225.54	Mar. 2	232.40
Feb. 28	209.53	June 30	226.98	Apr. 4	233.52
Mar. 30	210.20	Sept. 3	230.2	May 3	235.53
May 4	210.87	Nov. 3	225.84	June 1	235.53
June 6	211.13	Jan. 6, 1953	221.40	July 6	237.24
July 7	212.44	May 7	224.25	Aug. 3	238.31
Aug. 7	214.45	July 14	224.37	Sept. 1	239.25
Sept. 7	215.18	Sept. 18	224.83	Oct. 5	239.67
Oct. 9	215.51	Nov. 4	224.75	Nov. 2	240.05
Nov. 9	216.62	Jan. 5, 1954	223.77	Dec. 6	239.75
Dec. 5	216.96	Mar. 2	225.72		

## BEXAR COUNTY

F-24. Lat.  $29^{\circ}35'$ , long.  $98^{\circ}21'$ . Depth 350 feet. Land-surface datum is 917.6 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Oct. 12, 1933	250.65	May 11, 1951	270.95	May 4, 1954	281.38
Oct. 8, 1934	254.50	June 8	268.54	July 7	285.97
Aug. 9, 1935	241.60	Aug. 6	279.17	Aug. 25	291.08
Nov. 21	241.94	Sept. 10	278.64	Oct. 12	286.03
Sept. 13, 1949	261.56	Oct. 30	274.94	Nov. 2	286.14
Oct. 4	261.13	Dec. 27	276.98	Dec. 2	284.84
Nov. 7	257.38	Feb. 29, 1952	275.61	Jan. 6, 1955	284.01
Feb. 1, 1950	258.45	Apr. 4	276.28	Feb. 2	283.90
Feb. 28	257.39	June 30	279.32	Mar. 2	283.29
Mar. 30	260.78	Sept. 3	285.90	Apr. 4	286.46
May 4	259.79	Nov. 3	279.3	May 3	290.70
Aug. 7	266.86	Jan. 6, 1953	270.02	June 1	288.73
Sept. 7	265.50	Mar. 6	274.50	July 6	292.38
Oct. 9	265.20	May 7	278.55	Aug. 3	294.10
Nov. 9	266.42	July 14	284.90	Sept. 1	293.07
Dec. 5	266.36	Sept. 18	275.35	Oct. 5	292.42
Jan. 4, 1951	267.06	Nov. 4	274.99	Nov. 2	293.27
Feb. 5	268.06	Jan. 5, 1954	274.81	Dec. 6	291.93
Mar. 7	269.87	Mar. 2	279.24	Jan. 4, 1956	289.14

F-29. Lat.  $29^{\circ}34'$ , long.  $98^{\circ}25'$ . Land-surface datum is 821.1 feet above msl.

Oct. 2, 1933	138.31	June 20, 1934	136.67	Apr. 10, 1935	136.80
Oct. 18	139.18	July 30	137.16	May 20	124.34
Nov. 21	139.42	Aug. 23	139.34	June 26	107.50
Dec. 20	140.27	Sept. 20	139.74	Aug. 3	119.95
Jan. 19, 1934	139.99	Oct. 10	139.65	Sept. 26	128.08
Feb. 20	137.07	Nov. 20	138.65	Nov. 20	130.78
Mar. 20	135.93	Dec. 19	141.97	Jan. 18, 1936	133.40
Apr. 19	135.01	Feb. 4, 1935	138.80	Aug. 28	127.00
May 22	134.01	Mar. 1	135.35	Jan. 5, 1937	127.00

## BEXAR COUNTY

F-30. Lat.  $29^{\circ}34'$ , long.  $98^{\circ}25'$ . Depth 239 feet. Land-surface datum is 874.3 feet above msl.

Date	Water level	Date	Water level	Date	Water level
July 20, 1932	202.14	Aug. 28, 1936	188.11	Feb. 29, 1952	229.40
Oct. 19	200.05	Jan. 5, 1937	189.56	Apr. 4	229.20
Jan. 16, 1933	199.68	Sept. 13, 1949	212.36	June 30	232.90
Apr. 10	200.06	Oct. 4	212.93	Sept. 3	236.92
July 17	203.18	Nov. 7	208.50	Nov. 3	242.19
Aug. 18	202.83	Jan. 31, 1950	213.50	Jan. 6, 1953	224.36
Oct. 18	203.08	Feb. 27	209.76	Mar. 6	226.68
Nov. 21	203.39	Mar. 30	211.57	May 7	230.06
Dec. 20	203.50	May 4	211.59	July 14	236.35
Jan. 19, 1934	203.35	June 6	211.02	Sept. 18	229.64
Feb. 20	202.48	July 6	214.22	Nov. 4	228.95
Mar. 20	201.31	Aug. 3	218.20	Jan. 8, 1954	228.4
Apr. 19	200.85	Sept. 7	217.14	Mar. 2	230.84
May 22	202.31	Oct. 6	216.82	May 4	234.62
June 20	204.29	Nov. 8	218.20	July 7	238.88
July 30	204.54	Dec. 5	218.48	Aug. 26	242.87
Sept. 20	206.25	Jan. 4, 1951	218.56	Oct. 12	240.38
Oct. 10	206.70	Feb. 5	219.95	Nov. 2	240.15
Nov. 20	206.87	Mar. 7	220.40	Jan. 6, 1955	238.78
Dec. 19	206.92	May 11	222.62	Mar. 2	237.51
Feb. 4, 1935	206.31	June 8	221.05	May 3	242.45
Apr. 10	206.13	Aug. 6	227.95	July 6	244.69
May 20	200.18	Sept. 10	229.97	Sept. 1	246.76
Sept. 29	189.75	Oct. 30	228.63	Nov. 3	246.89
Jan. 18, 1936	192.11	Dec. 27	228.65	Jan. 4, 1956	244.10

F-40. Lat.  $29^{\circ}34'$ , long.  $98^{\circ}29'$ . Depth 415 feet. Land-surface datum is 831.7 feet above msl.

Sept. 29, 1933	157.12	May 4, 1950	143.27	Jan. 22, 1951	158.54
Oct. 10, 1934	153.62	June 6	144.06	Feb. 6	159.24
Sept. 1, 1949	136.25	July 5	146.95	Mar. 7	160.09
Oct. 4	140.69	Aug. 3	152.48	May 11	161.12
Nov. 7	134.13	Sept. 7	147.77	June 8	155.48
Jan. 31, 1950	140.08	Oct. 6	146.66	Aug. 6	162.28
Feb. 27	140.37	Nov. 8	152.17	Sept. 12	165.12
Mar. 30	142.19	Dec. 5	155.22	Oct. 8	165.38

(Continued on next page)

## BEXAR COUNTY

F-40. - Continued.

Date	Water level	Date	Water level	Date	Water level
Oct. 30, 1951	165.72	May 7, 1953	166.30	Nov. 4, 1954	178.39
Dec. 27	167.07	July 15	171.75	Jan. 6, 1955	176.41
Mar. 3, 1952	164.57	Sept. 18	167.81	Mar. 4	177.05
Apr. 7	166.45	Nov. 4	168.39	May 4	180.60
June 30	169.20	Jan. 8, 1954	168.73	July 7	181.50
Sept. 3	173.09	Mar. 2	170.76	Sept. 2	183.41
Nov. 3	171.94	May 6	173.99	Nov. 3	184.36
Jan. 6, 1953	163.13	July 7	175.98	Jan. 6, 1956	183.30
Mar. 6	164.17	Aug. 28	178.82		

F-58. Lat 29°31', long. 98°27'. Land-surface datum is 782.3 feet above msl.

Sept. 29, 1933	109.27	Oct. 11, 1934	114.90	Aug. 3, 1935	99.02
Feb. 20, 1934	109.49	Nov. 20	114.44	Sept. 26	99.88
Mar. 20	108.74	Dec. 19	114.50	Nov. 20	101.03
Apr. 19	107.84	Feb. 4, 1935	114.20	Jan. 18, 1936	102.73
May 22	110.30	Mar. 1	113.86	Aug. 28	101.00
June 20	112.39	Apr. 10	114.68	Jan. 5, 1937	100.15
Aug. 23	114.26	May 20	104.50		
Sept. 20	114.50	June 26	93.39		

F-62. Lat. 29°30', long. 98°27'. Depth 370 feet. Land-surface datum is 820.7 feet above msl.

July 19, 1932	151.25	Aug. 23, 1934	153.18	Jan. 18, 1936	142.18
Oct. 19	145.50	Sept. 20	153.51	Aug. 28	140.52
July 17, 1933	149.05	Oct. 10	153.90	Jan. 5, 1937	139.90
Aug. 18	148.88	Nov. 20	153.40	Sept. 14, 1939	169.98
Sept. 19	148.54	Dec. 19	153.42	Nov. 7	165.08
Oct. 18	149.28	Feb. 4, 1935	153.17	Feb. 1, 1950	165.87
Nov. 21	149.26	Mar. 1	152.76	Feb. 28	164.59
Dec. 20	149.23	Apr. 8	152.75	Mar. 31	169.54
Jan. 19, 1934	148.88	May 19	145.15	May 5	167.66
Feb. 20	148.55	June 26	135.35	June 6	165.10
Apr. 19	146.88	Sept. 26	140.05	July 7	172.24
June 20	151.81	Nov. 19	140.82	Aug. 3	174.95

## BEXAR COUNTY

F-63. Lat.  $29^{\circ}30'$ , long.  $98^{\circ}27'$ . Depth 339 feet. Land-surface datum is 828.3 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Jan. 6, 1953	177.70	May 6, 1954	191.5 ±	May 4, 1955	200.79
Mar. 10	181.90	July 6	195.54	July 7	205.84
May 7	187.95	Aug. 23	202.0 ±	Sept. 2	202.75
Nov. 4	183.10	Nov. 4	193.94	Jan. 6, 1956	199.58
Jan. 5, 1954	183.15	Jan. 5, 1955	192.77		
Mar. 4	187.5 ±	Mar. 3	192.5 ±		

F-74. Lat.  $29^{\circ}33'$ , long.  $98^{\circ}24'$ . Depth 457 feet. Land-surface datum is 815.9 feet above msl.

June 15, 1946	146.35	Mar. 7, 1951	167.83	Sept. 18, 1953	173.17
Sept. 13, 1949	159.68	May 11	168.55	Nov. 4	170.23
Oct. 4	159.87	June 8	166.30	Jan. 5, 1954	178.83 ±
Nov. 7	153.92	Aug. 6	176.30	Mar. 2	177.40
Feb. 1, 1950	156.23	Sept. 10	177.36	May 4	179.69
Feb. 27	155.08	Oct. 30	173.08	July 7	184.55
Mar. 30	158.70	Dec. 27	172.44	Aug. 25	189.80
May 4	157.50	Feb. 29, 1952	173.44	Nov. 2	184.49
June 6	155.52	Apr. 4	174.16	Jan. 6, 1955	182.37
July 6	161.36	Sept. 3	184.02	Mar. 2	181.70
Aug. 3	164.04	Nov. 3	177.59	May 3	189.60
Sept. 7	163.11	Jan. 6, 1953	167.62	July 6	191.97
Oct. 6	162.90	Mar. 6	172.50	Sept. 1	191.61
Nov. 9	164.40	May 7	176.69	Nov. 2	192.05
Dec. 5,	166.08	July 14	183.20	Jan. 4, 1956	187.70

F-75. Lat.  $29^{\circ}33'$ , long.  $98^{\circ}23'$ . Depth 438 feet. Land-surface datum is 808.5 feet above msl.

June 20, 1946	139.95	Mar. 30, 1950	151.35	Dec. 5, 1950	155.55
Sept. 13, 1949	151.19	June 6	147.01	Feb. 5, 1951	159.83
Oct. 4	151.39	July 6	153.05	Mar. 7	158.76
Nov. 7	145.45	Sept. 7	154.37	May 11	159.45
Feb. 1, 1950	147.59	Oct. 6	154.43	June 8	157.38
Feb. 27	146.49	Nov. 9	155.53	Aug. 6	167.67

(Continued on next page)

## BEXAR COUNTY

F-75. - Continued.

Date	Water level	Date	Water level	Date	Water level
Sept. 10, 1951	168.44	Jan. 6, 1953	159.57	July 7, 1954	176.54
Oct. 30	164.50	Mar. 6	164.43	Aug. 28	182.16+
Feb. 29, 1952	164.67	May 7	168.59	Nov. 2	176.40
Apr. 4	165.48	Sept. 18	165.17	Jan. 6, 1955	174.25
June 30	168.61	Nov. 4	164.86	Mar. 2	173.65
Sept. 3	175.98	Jan. 5, 1954	164.72	Nov. 2	185.91
Nov. 3	169.29	May 4	171.87		

F-86. Lat. 29°30', long. 98°24'. Depth 434 feet. Land-surface datum is 721.6 feet above msl.

Oct. 3, 1933	52.34	Apr. 26, 1940	57.92	June 24, 1948	69.30
Oct. 10, 1934	57.85	May 23	60.48	July 1	65.98
Aug. 9, 1935	44.85	June 21	59.03	Aug. 6	70.18
Aug. 28	44.00	July 25	60.12	Jan. 10, 1949	69.15
Nov. 21	45.02	Aug. 28	63.67	Mar. 8	65.44
Feb. 26, 1938	46.06	Sept. 24	63.18	Apr. 18	66.04
Mar. 23	46.72	Oct. 25	63.02	May 16	54.37
Apr. 26	45.65	Dec. 4	59.58	Aug. 30	65.05
May 28	44.74	Jan. 23, 1941	57.03	Oct. 4	65.78
June 27	48.10	Mar. 25	49.25	Nov. 7	59.52
July 26	49.72	May 29	44.23	Dec. 7	61.36
Aug. 22	51.11	Aug. 7	49.72	Feb. 1, 1950	61.94
Sept. 25	51.00	Nov. 14	48.54	Feb. 28	60.63
Oct. 26	51.89	Apr. 9, 1942	50.21	Mar. 31	64.18
Dec. 8	51.80	Aug. 3	50.21	May 4	63.49
Jan. 24, 1939	51.48	Dec. 3	44.18	June 6	61.17
Feb. 28	52.57	Apr. 20, 1943	50.70	July 6	67.58
Mar. 29	53.41	Sept. 9	55.13	Aug. 4	70.79
Apr. 22	56.18	Dec. 21	55.69	Sept. 7	69.17
May 25	56.48	Aug. 24, 1944	56.86	Oct. 6	70.44
July 3, 1939	59.15	Dec. 19	49.87	Nov. 9	70.10
Oct. 5	59.60	May 23, 1945	47.29	Dec. 4	70.03
Dec. 19	58.17	Mar. 19, 1946	52.58	Jan. 4, 1951	70.35
Jan. 30, 1940	57.92	July 3, 1947	56.13	Feb. 4	71.82
Feb. 20	58.43	Nov. 8	59.18	Mar. 7	72.85
Mar. 22	59.51	Apr. 23, 1948	64.60	May 8	74.29

(Continued on next page)

## BEXAR COUNTY

F-86. - Continued.

Date	Water level	Date	Water level	Date	Water level
May 25, 1951	72.57	Mar. 6, 1953	78.80	Oct. 12, 1954	76.09
June 7	71.67	Apr. 7	79.37	Nov. 2	76.71
July 3	77.61	May 5	82.50	Dec. 2	74.30
Aug. 6	82.32	June 3	86.95	Jan. 6, 1955	75.62
Sept. 11	83.55	Aug. 7	93.50	Feb. 2	70.36
Oct. 8	80.11	Sept. 18	78.81	Mar. 2	69.73
Oct. 29	78.96	Oct. 16	82.10	Apr. 4	76.77
Dec. 27	78.93	Nov. 2	79.10	May 2	77.74
Feb. 29, 1952	79.42	Dec. 7	77.92	June 1	76.25
Apr. 4	80.23	Jan. 4, 1954	78.10	July 7	78.41
June 3	81.73	Feb. 4	80.64	Aug. 3	80.67
June 30	83.40	Mar. 1	83.15	Sept. 1	73.99
Aug. 1	86.91	May 3	79.66	Oct. 5	65.37
Oct. 1	82.3±	June 7	83.62	Nov. 2	81.83
Nov. 7	83.71	July 6	83.57	Dec. 6	65.70
Dec. 2	77.41	Aug. 4	86.43	Jan. 4, 1956	68.15
Jan. 6, 1953	73.34	Aug. 23	86.71		
Feb. 9	76.96	Oct. 4	85.90		

F-91. Lat. 29°30', long. 98°22'. Depth 625± feet. Land-surface datum is 790.2 feet above msl.

Oct. 3, 1933	122.85	Nov. 8, 1949	131.04	June 6, 1950	132.53
June 24, 1948	138.88	Feb. 1, 1950	133.50	July 7	140.76
Aug. 29, 1949	136.25	Feb. 28	131.88		
Oct. 10	137.93	May 4	134.71		

F-125. Lat. 29°30', long 98°27'. Depth 425±feet.

Nov. 14, 1950	179.43	May 11, 1951	174.34	Dec. 27, 1951	179.21
Dec. 6	170.44	June 7	171.86	Mar. 3, 1952	179.64
Jan. 4, 1951	170.37	Aug. 10	179.55	Apr. 7	181.30
Feb. 5	172.12	Sept. 9	183.98	June 30	184.35
Mar. 7	172.68	Oct. 30	179.48		

## BEXAR COUNTY

F-172. Lat.  $29^{\circ}32'$ , long.  $98^{\circ}27'$ . Depth 500 feet. Land-surface datum is 778.8 feet above msl. Monthly highest water level from recorder graph.

Date	Water level	Date	Water level	Date	Water level
May 30, 1952	133.73	Aug. 31, 1953	138.61	Nov. 17, 1954	142.02
June 1	133.75	Sept. 8	129.88	Dec. 27	141.55
July 4	137.53	Oct. 31	132.94	Jan. 24, 1955	140.32
Aug. 1	139.58	Nov. 16	131.88	Feb. 21	140.02
Sept. 15	135.1	Dec. 21	130.88	Mar. 1	140.54
Oct. 1	135.2	Jan. 2, 1954	131.33	Apr. 11	143.23
Nov. 29	130.55	Feb. 1	132.87	May 23	143.58
Dec. 31	126.14	Mar. 1	135.97	June 12	146.05
Jan. 2, 1953	125.82	Apr. 15	138.86	July 18	149.68
Feb. 2	128.81	May 3	138.75	Aug. 15	150.48
Mar. 1	130.22	June 1	141.04	Sept. 4	150.91
Apr. 15	131.14	July 1	142.72	Oct. 12	150.54
May 18	134.25	Aug. 2	145.72	Nov. 27	148.50
June 1	138.18	Sept. 6	147.60	Dec. 26	147.12
July 5	140.19	Oct. 11	143.65	Jan. 23, 1956	146.88

F-189. Lat.  $29^{\circ}30'$ , long.  $98^{\circ}24'$ . Replacement for Well F-86.

Apr. 6, 1954	81.00	Nov. 2, 1954	83.69	June 1, 1955	86.60
May 3	78.33	Jan. 6, 1955	81.33	July 6	91.56
June 7	83.28	Feb. 2	81.27	Aug. 3	92.15
July 6	83.55	Mar. 2	80.87	Sept. 1	90.74
Aug. 4	87.22	Apr. 4	84.34	Oct. 5	90.33
Oct. 4	84.96	May 3	89.31	Jan. 4, 1956	86.89

F-191. Lat.  $29^{\circ}30'$ , long.  $98^{\circ}22'$ . Depth 525 feet. Land-surface datum is 791.9 feet above msl.

June 24, 1948	141.90	Sept. 7, 1950	141.84	May 1, 1951	146.84
Feb. 28, 1950	133.30	Oct. 9	141.50	June 8	144.71
Mar. 3	136.82	Nov. 9	142.88	Aug. 6	155.05
May 4	136.07	Dec. 6	142.73	Sept. 10	156.31
June 6	133.89	Jan. 4, 1951	142.96	Oct. 29	151.64
July 7	140.72	Feb. 5	144.35	Dec. 27	151.10
Aug. 4	143.50	Mar. 7	145.34	Jan. 29, 1952	152.07

(Continued on next page)

## BEXAR COUNTY

F-191. - Continued.

Date	Water level	Date	Water level	Date	Water level
Apr. 4, 1952	152.95	Sept. 18, 1953	152.20	May 3, 1955	169.15
June 30	156.18	Nov. 16	151.56	July 6	172.52
Sept. 2	163.94	Jan. 4, 1954	151.18	Sept. 1	170.67
Nov. 7	156.53	Mar. 1	156.14	Nov. 2	171.39
Jan. 6, 1953	146.26	Aug. 23	168.42	Jan. 4, 1956	166.76
Mar. 6	151.68	Nov. 2	163.57		
May 8	155.77	Jan. 6, 1955	161.36		

G-2. Lat. 29°36', long. 98°18'. Land-surface datum is 758.6 feet above msl.

Oct. 3, 1933	96.41	Aug. 9, 1935	88.80	Jan. 19, 1936	90.60
Oct. 8, 1934	107.13	Nov. 21	89.31		

G-5. Lat. 29°34', long. 98°18'. Depth 1,497 feet. Land-surface datum is 768.2 feet above msl.

Sept. 13, 1949	109.70	Oct. 29, 1951	121.77	Mar. 2, 1954	125.56
Oct. 4	110.28	Dec. 27	121.48	Apr. 6	129.52
Nov. 7	105.05	Feb. 29, 1952	122.32	May 3	127.57
Feb. 1, 1950	107.00	Apr. 4	123.00	June 7	132.44
Feb. 28	105.97	June 30	124.77	July 6	131.79
Mar. 30	109.08	Sept. 3	131.82	Aug. 4	134.83
May 4	108.12	Nov. 3	125.79	Aug. 24	136.36
June 6	106.67	Dec. 3	120.61	Oct. 4	133.35
July 6	111.71	Jan. 6, 1953	117.38	Nov. 2	131.84
Aug. 4	114.25	Feb. 9	119.98	Jan. 6, 1955	129.81
Sept. 7	113.04	Mar. 6	121.28	Feb. 2	129.65
Oct. 9	112.99	Apr. 7	122.32	Mar. 2	129.02
Nov. 9	114.13	May 7	125.00	Apr. 4	131.96
Dec. 6	114.09	June 3	128.65	May 3	136.00
Jan. 4, 1951	114.00	July 14	130.90	June 1	134.03
Feb. 5	115.47	Aug. 7	134.36	July 6	138.13
Mar. 7	116.24	Sept. 18	122.25	Aug. 3	138.96
May 11	117.71	Oct. 16	123.32	Sept. 1,	138.20
May 25	116.40	Nov. 12	122.20	Oct. 5	137.60
June 8	115.51	Dec. 7	121.36	Nov. 2	138.24
Aug. 6	123.78	Jan. 5, 1954	121.65	Dec. 6	134.35
Sept. 10	124.66	Feb. 4	123.22	Jan. 4, 1956	134.47

## BEXAR COUNTY

G-7. Lat. 29°31', long. 98°18'. Depth 652 feet. Land-surface datum is 710.1 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Oct. 2, 1933	39.20	Apr. 12, 1950	51.88	Apr. 4, 1952	67.78
Feb. 26, 1938	31.93	May 6	51.23	June 30	71.25
Apr. 26	31.94	June 6	48.95	Sept. 3	78.48
July 26	36.82	July 7	55.76	Nov. 3	71.40
Aug. 22	31.90	Aug. 4	58.61	Jan. 6, 1953	61.21
May 25, 1939	44.90	Sept. 7	56.86	Mar. 6	66.22
July 4	46.10	Oct. 6	56.52	May 7	70.67
Oct. 5	46.46	Nov. 9	57.82	July 4	77.98
Dec. 19	44.83	Dec. 6	57.70	Sept. 18	66.96
Feb. 20, 1940	45.15	Jan. 4, 1951	57.50	Nov. 4	66.36
Mar. 22	46.34	Feb. 5	59.31	Jan. 5, 1954	66.35
Apr. 26	47.63	Mar. 7	60.30	Mar. 2	70.87
May 23	47.21	May 10	61.64	May 4	73.26
June 21	45.96	May 25	59.96	July 7	78.29
Sept. 24	50.30	June 8	59.28	Nov. 2	78.52
Oct. 25	50.13	Aug. 6	69.25	Jan. 6, 1955	75.92
Dec. 4	46.46	Sept. 10	70.82	Feb. 2	76.06
Jan. 23, 1941	44.03	Oct. 8	67.63	Mar. 2	76.25
May 29	31.35	Oct. 29	66.64	Apr. 4	79.13
Aug. 8	36.50	Dec. 27	66.06	June 1	81.69
Apr. 9, 1942	37.10	Feb. 29, 1952	67.02	Jan. 4, 1956	82.50

G-7a. Lat. 29°31', long. 98°18'. Drilled to replace Well G-7.

Aug. 24, 1954	83.62	Apr. 4, 1955	78.93	Sept. 1, 1955	86.11
Dec. 2	77.04	May 3	84.12	Oct. 5	85.27
Jan. 6, 1955	76.08	June 1	81.66	Nov. 2	85.91
Feb. 2	75.93	July 6	86.02	Dec. 6	81.34
Mar. 2	75.10	Aug. 3	87.12	Jan. 4, 1956	81.50

## BEXAR COUNTY

G-10. Lat.  $29^{\circ}32'$ , long.  $98^{\circ}17'$ . Depth 554 feet. Land-surface datum is 763.4 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Oct. 3, 1933	92.39	Mar. 7, 1951	111.64	Mar. 2, 1954	122.06
Oct. 10, 1934	97.05	May 10	113.07	May 4	124.57
June 24, 1948	108.36	June 8	110.75	July 7	129.51
Aug. 29, 1949	103.75	Aug. 6	120.47	Aug. 10	134.51
Oct. 10	105.31	Sept. 24	121.82	Nov. 2	129.28
Nov. 8	99.03	Oct. 29	117.82	Dec. 2	127.88
Feb. 1, 1950	100.96	Dec. 27	117.14	Jan. 6, 1955	127.00
Feb. 28	99.94	Feb. 29, 1952	118.19	Feb. 2	127.09
Mar. 31	103.48	Apr. 4	118.97	Mar. 2	126.39
May 4	102.37	June 30	122.24	Apr. 4	130.17
June 6	100.36	Sept. 3	122.28	May 3	134.66
July 7	107.06	Nov. 3	122.47	June 1	132.18
Aug. 4	109.72	Jan. 6, 1953	112.64	July 6	136.67
Sept. 7	108.23	Mar. 6	117.30	Aug. 3	137.60
Oct. 5	108.03	May 7	121.76	Sept. 1	136.41
Nov. 9	108.95	July 4	128.57	Oct. 5	136.01
Dec. 6	109.04	Sept. 18	118.18	Nov. 1	136.46
Jan. 4, 1951	109.09	Nov. 4	117.64	Dec. 6	131.89
Feb. 5	110.61	Jan. 5, 1954	117.80	Jan. 4, 1956	132.11

H-1. Lat.  $29^{\circ}29'$ , long.  $98^{\circ}41'$ . Depth 219 feet. Land-surface datum is 848.5 feet above msl.

Sept. 21, 1933	157.73	June 28, 1935	133.08	June 1, 1950	163.36
Jan. 9, 1934	160.16	Aug. 2	140.32	July 5	169.86
Apr. 20	153.37	Sept. 27	140.30	Aug. 2	173.78
May 23	158.47	Jan. 20, 1936	145.68	Sept. 6	174.58
June 21	161.38	Aug. 27	139.74	Oct. 5	177.80
July 31	159.99	Jan. 4, 1937	141.17	Nov. 8	177.78
Aug. 24	163.30	July 1, 1948	169.60	Dec. 5	181.14
Sept. 21	163.64	Aug. 30, 1949	168.47	Jan. 5, 1951	179.56
Oct. 11	165.16	Oct. 7	171.23	May 12	184.75
Dec. 21	167.66	Nov. 3	162.91	June 7	182.59
Feb. 4, 1935	165.86	Jan. 27, 1950	168.93	Aug. 7	192.76
Mar. 2	165.40	Feb. 24	166.15	Sept. 11	194.07
Apr. 9	166.00	Mar. 29	169.64	Nov. 1	193.30
May 21	149.85	May 3	168.86	Dec. 28	191.75

(Continued on next page)

## BEXAR COUNTY

H-1. - Continued.

Date	Water level	Date	Water level	Date	Water level
Mar. 2, 1952	193.25	Sept. 21, 1953	187.42	Jan. 4, 1955	203.82
Apr. 3	193.14	Nov. 5	190.76	Feb. 1	203.19
July 1	196.54	Jan. 7, 1954	191.03	Mar. 1	202.79
Sept. 4	202.91	Mar. 5	196.12	May 2	209.80
Nov. 5	195.46	May 5	200.19	June 2	208.44
Jan. 7, 1953	184.44	July 8	204.31	Aug. 2	213.91
Mar. 3	189.28	Aug. 26	210.23	Nov. 1	215.35
May 6	194.10	Nov. 1	206.17	Dec. 5	212.00
July 16	202.04	Dec. 1	204.75	Jan. 3, 1956	212.01

H-3. Lat.  $29^{\circ}26'$ , long.  $98^{\circ}47'$ . Depth 462 feet. Land-surface datum is 976.7 feet above msl.

Oct. 13, 1934	289.50	Dec. 4, 1950	302.71	Mar. 3, 1953	316.00
Aug. 30, 1949	294.38	Jan. 5, 1951	304.10	May 6	320.75
Oct. 11	296.58	Mar. 6	308.85	July 16	329.30
Nov. 4	291.14	May 12	310.20	Sept. 21	316.61
Jan. 27, 1950	293.54	June 6	307.19	Nov. 5	317.30
Feb. 24	291.63	Aug. 7	316.69	Jan. 7, 1954	317.81
Mar. 29	295.24	Sept. 11	319.00	May 5	324.05
May 3	293.89	Nov. 1	316.60	Aug. 26	334.5 $\pm$
June 1	293.07	Dec. 28	315.75	Nov. 1	331.0 $\pm$
July 5	297.23	Mar. 5, 1952	317.58	Jan. 4, 1955	329.2 $\pm$
Aug. 2	299.60	July 1	322.19	Mar. 1	327.8
Sept. 6	299.66	Sept. 4	328.64	Nov. 1	340.55
Oct. 5	300.00	Nov. 5	323.70	Jan. 3, 1956	336.91
Nov. 6	302.30	Jan. 7, 1953	311.93		

H-5. Lat.  $29^{\circ}25'$ , long.  $98^{\circ}45'$ . Depth 478 feet. Land-surface datum is 809.4 feet above msl.

Oct. 8, 1934	125.21	Feb. 24, 1950	127.27	Aug. 2, 1950	135.92
July 1, 1948	133.74	Mar. 29	139.96	Sept. 6	137.92
Aug. 30, 1949	130.78	May 3	129.81	Oct. 5	136.09
Oct. 11	132.83	June 1	129.02	Nov. 6	138.19
Nov. 4	125.54	July 5	137.50	Dec. 4	138.94

(Continued on next page)

## BEXAR COUNTY

H-5. - Continued.

Date	Water level	Date	Water level	Date	Water level
Jan. 5, 1951	139.62	July 1, 1952	156.90	May 4, 1954	160.71
Feb. 6	141.76	Sept. 4	163.34	July 8	164.95
Mar. 5	141.90	Nov. 5	156.42	Aug. 25	171.04
May 12	144.34	Jan. 7, 1953	146.09	Nov. 1	165.90
June 6	142.00	Mar. 3	151.02	Jan. 4, 1955	163.83
Aug. 7	152.84	May 6	155.94	Mar. 5	162.45
Sept. 11	153.88	July 16	164.10	May 2	174.01
Nov. 1	153.01	Sept. 21	152.34	July 5	174.09
Dec. 28	155.14	Nov. 5	152.58	Aug. 29	176.16
Mar. 5, 1952	152.26	Jan. 7, 1954	153.00	Nov. 1	175.23
Apr. 8	153.22	Mar. 3	158.00	Jan. 3, 1956	187.80

H-7. Lat.  $29^{\circ}26'$ , long.  $98^{\circ}42'$ . Depth 425 feet. Land-surface datum is 853.8 feet above msl.

Aug. 23, 1933	186.20	Aug. 2, 1950	199.06	Sept. 11, 1951	160.03
Sept. 20	176.18	Sept. 6	199.93	Nov. 1	159.81
Oct. 8, 1934	161.05	Oct. 5	201.81	Dec. 28	159.84
July 1, 1948	196.57	Nov. 6	202.94	Apr. 8, 1952	160.36
Aug. 30, 1949	177.08	Dec. 4	202.96	Sept. 4	160.05
Jan. 27, 1950	160.05	Jan. 5, 1951	163.80	Nov. 5	162.29
Feb. 24	166.23	Feb. 6	160.46	Jan. 7, 1953	161.34
Mar. 29	182.83	Mar. 5	160.43	Mar. 3	162.68
May 3	175.95	May 12	158.89	May 6	164.05
June 1	191.90	June 6	158.73		
July 5	195.82	Aug. 7	159.70		

H-12. Lat.  $29^{\circ}23'$ , long.  $98^{\circ}40'$ . Depth 786 feet. Land-surface datum is 765.0 feet above msl.

Sept. 15, 1933	80.70	July 31, 1934	83.53	Dec. 21, 1934	87.58
Jan. 4, 1934	81.60	Aug. 24	86.63	Feb. 3, 1935	87.40
Apr. 20	78.84	Sept. 21	87.18	Mar. 2	87.31
May 23	82.51	Oct. 11	87.79	Apr. 9	88.08
June 21	84.87	Nov. 20	87.26	May 21	78.25

(Continued on next page)

## BEXAR COUNTY

H-12. - Continued.

Date	Water level	Date	Water level	Date	Water level
June 28, 1935	65.56	Mar. 28, 1950	93.01	Mar. 5, 1951	103.17
Aug. 3	69.44	May 3	92.55	May 10	105.67
Sept. 27	68.58	June 1	92.35	June 6	102.90
Aug. 27, 1936	69.79	July 5	95.49	Sept. 11	115.99
Jan. 4, 1937	68.14	Aug. 1	99.25	Oct. 31	112.00
July 1, 1948	96.10	Sept. 5	98.50	Dec. 27	112.14
Aug. 30, 1949	93.80	Oct. 5	98.39	Mar. 5, 1952	113.00
Oct. 11	95.89	Nov. 6	100.37	Apr. 4	113.49
Nov. 4	88.11	Dec. 4	100.53	July 12	117.60
Jan. 26, 1950	93.19	Jan. 5, 1951	101.33		
Feb. 24	89.65	Feb. 7	104.10		

H-13. Lat.  $29^{\circ}22'$ , long.  $98^{\circ}42'$ . Depth 778 feet. Land-surface datum is 788.2 feet above msl.

Sept. 15, 1933	103.20	Apr. 26, 1938	93.65	Aug. 23, 1940	115.17
Jan. 4, 1934	104.67	May 23	93.13	Sept. 24	115.60
Apr. 20	102.22	July 26	97.39	Oct. 21	115.62
May 23	105.87	Aug. 22	97.42	Dec. 2	111.71
June 21	108.40	Sept. 24	99.32	Jan. 20, 1941	108.96
July 31	107.27	Oct. 26	100.63	May 26	91.23
Aug. 24	110.44	Dec. 8	101.20	Aug. 7	97.73
Sept. 21	111.13	Jan. 27, 1939	100.60	Nov. 14	95.72
Oct. 11	111.76	Mar. 2	102.35	Apr. 6, 1942	99.38
Nov. 20	111.28	Apr. 3	104.08	Aug. 4	101.85
Dec. 21	111.70	May 4	106.91	Nov. 30	90.68
Feb. 3, 1935	111.68	June 9	106.62	Apr. 26, 1943	99.87
Mar. 2	111.52	July 6	110.49	Aug. 26	105.46
Apr. 9	112.28	Aug. 17	108.39	Dec. 14	105.61
May 21	102.50	Sept. 16	109.04	Apr. 29, 1944	102.06
June 28	89.68	Oct. 26	110.34	Aug. 8	106.59
Aug. 3	91.85	Jan. 17, 1940	108.83	Dec. 18	99.56
Sept. 27	91.21	Feb. 21	110.14	June 4, 1945	97.56
Jan. 20, 1936	93.28	Mar. 18	111.61	Apr. 4, 1946	104.84
Aug. 27	90.97	Apr. 23	112.47	July 2, 1947	105.02
Jan. 4, 1937	89.00	May 20	112.64	Nov. 7	110.18
Feb. 23, 1938	93.67	June 17	111.79	Apr. 23, 1948	116.97
Mar. 15	94.17	July 22	110.97	June 30	119.55

(Continued on next page)

## BEXAR COUNTY

H-13. - Continued.

Date	Water level	Date	Water level	Date	Water level
Aug. 2, 1948	123.22	Aug. 8, 1951	138.72	Feb. 4, 1954	139.71
Jan. 4, 1949	124.41	Sept. 11	140.00	Mar. 1	143.67
Mar. 7	119.99	Oct. 8	137.67	Apr. 6	147.57
Apr. 12	119.89	Oct. 31	136.56	May 3	145.72
Aug. 26	117.90	Dec. 27	136.70	June 7	149.22
Oct. 10	119.75	Mar. 5, 1952	137.64	July 6	149.75
Nov. 3	111.97	Apr. 8	138.75	Aug. 4	153.60
Dec. 21	114.70	June 3	139.63	Aug. 23	155.44
Jan. 26, 1950	116.27	July 2	142.35	Oct. 4	152.50
Feb. 24	115.49	Aug. 1	145.03	Oct. 11	150.46
Mar. 28	117.03	Sept. 2	149.11	Nov. 1	151.05
May 3	116.40	Oct. 1	140.28	Dec. 1	149.70
June 1	116.34	Nov. 4	142.30	Jan. 4, 1955	148.84
July 5	119.33	Dec. 2	136.05	Feb. 1	148.56
Aug. 1	123.07	Jan. 5, 1953	133.08	Mar. 1	147.27
Sept. 5	122.43	Feb. 9	135.66	Apr. 5	152.53
Oct. 5	122.48	Mar. 5	137.44	May 2	155.92
Nov. 6	124.58	Apr. 7	138.41	June 2	155.40
Dec. 4	124.92	May 5	141.68	July 5	159.50
Jan. 5, 1951	126.06	June 3	146.03	Aug. 2	159.79
Feb. 7	128.36	Aug. 7	152.91	Sept. 1	161.20
Mar. 5	127.60	Sept. 17	137.41	Oct. 4	158.81
May 8	130.51	Oct. 16	140.46	Nov. 1	159.97
May 25	128.55	Nov. 2	138.20	Dec. 5	155.09
June 6	127.93	Dec. 7	137.62	Jan. 3, 1956	155.57
July 3	132.43	Jan. 4, 1954	137.61		

H-16. Lat.  $29^{\circ}22'$ , long.  $98^{\circ}45'$ . Depth 830 feet. Land-surface datum is 760.3 feet above msl.

Jan. 4, 1934	70.71	Jan. 19, 1938	63.09	Aug. 22, 1938	66.50
Oct. 9	77.03	Feb. 26	61.16	Sept. 24	66.64
Aug. 21, 1937	63.04	Mar. 15	61.58	Oct. 26	68.09
Sept. 26	64.22	Apr. 26	60.07	Jan. 27, 1939	69.10
Oct. 23	62.93	May 24	59.59	Mar. 2	70.42
Nov. 15	64.83	June 27	63.04	Apr. 3	72.07
Dec. 23	63.89	July 26	64.72	May 4	74.75

(Continued on next page)

## BEXAR COUNTY

H-16. - Continued

Date	Water level	Date	Water level	Date	Water level
June 9, 1939	74.70	Mar. 9, 1949	86.13	Mar. 5, 1953	103.99
July 6	78.32	Apr. 12	85.87	Apr. 7	105.12
Aug. 17	76.02	Aug. 26	83.29	May 5	108.09
Sept. 16	77.08	Oct. 10	85.12	June 3	112.44
Oct. 26	77.12	Nov. 3	77.69	July 15	115.77
Jan. 17, 1940	77.04	Feb. 23, 1950	79.58	Aug. 7	119.21
Feb. 21	78.45	Mar. 28	82.70	Sept. 17	103.94
Mar. 21	79.79	May 3	82.13	Oct. 16	107.02
Apr. 26	80.90	June 1	82.00	Nov. 2	104.89
May 20	80.80	July 5	84.84	Dec. 7	104.33
June 17	80.80	Aug. 1	88.24	Jan. 4, 1954	104.38
July 22	79.03	Sept. 5	87.99	Feb. 4	106.41
Aug. 23	83.04	Oct. 5	88.26	Mar. 1	109.28
Sept. 2	84.34	Nov. 6	90.44	Apr. 6	114.13
Oct. 25	83.85	Dec. 4	90.71	May 3	112.65
Dec. 2	80.02	Jan. 5, 1951	91.74	June 7	115.86
Jan. 20, 1941	77.19	Feb. 7	94.43	July 6	116.02
May 28	58.60	Mar. 5	93.76	Aug. 4	120.20
Aug. 7	64.80	May 8	96.77	Aug. 23	122.08
Nov. 12	62.42	June 6	94.15	Oct. 4	119.27
Apr. 8, 1942	66.04	July 3	99.19	Oct. 11	117.23
Aug. 4	69.07	Aug. 7	104.66	Nov. 1	117.79
Dec. 3	58.29	Sept. 11	106.00	Dec. 1	116.65
Apr. 29, 1943	67.97	Oct. 8	103.84	Jan. 4, 1955	115.80
Aug. 26	72.80	Dec. 27	103.26	Feb. 1	115.39
Dec. 14	73.24	Mar. 5, 1952	104.28	Apr. 5	119.43
Apr. 29, 1944	69.85	Apr. 4	104.60	May 2	122.90
Aug. 8	73.01	June 3	106.03	June 2	122.19
Dec. 19	67.23	July 2	108.80	July 5	126.26
June 4, 1945	64.79	Aug. 1	111.30	Aug. 2	126.61
July 2, 1947	72.21	Sept. 2	115.32	Sept. 1	128.21
Nov. 8	77.71	Sept. 22	105.72	Oct. 4	126.06
Apr. 24, 1948	83.87	Nov. 4	108.88	Nov. 1	127.24
June 30	86.22	Dec. 2	102.99	Dec. 5	122.43
Aug. 9	90.10	Jan. 5, 1953	98.97	Jan. 3, 1956	123.16
Jan. 5, 1949	90.77	Feb. 9	102.35		

## BEXAR COUNTY

H-17. Lat.  $29^{\circ} 22'$ , long.  $98^{\circ} 46'$ . Depth 918 feet. Land-surface datum is 809.1 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Sept. 15, 1933	116.84	Mar. 21, 1940	127.87	July 5, 1950	132.22
Jan. 4, 1934	118.61	Apr. 23	128.63	Aug. 1	135.79
Apr. 20	116.47	May 20	128.86	Sept. 5	135.47
May 23	119.76	June 17	128.06	Oct. 5	135.66
June 21	122.24	July 22	127.13	Nov. 6	137.27
July 31	121.37	Aug. 23	131.09	Dec. 4	138.05
Aug. 24	124.27	Sept. 24	131.73	Jan. 5, 1951	138.95
Sept. 21	125.09	Oct. 25	131.95	Feb. 7	141.75
Oct. 9	124.90	Dec. 2	128.10	Mar. 5	141.18
Nov. 21	125.55	Jan. 20, 1941	125.32	May 8	144.12
Dec. 21	125.97	May 28	106.51	July 3	146.58
Feb. 3, 1935	126.08	Aug. 7	112.69	Sept. 11	153.76
Mar. 2	126.00	Nov. 12	110.32	Oct. 8	151.53
Apr. 9	126.87	Apr. 6, 1942	114.39	Oct. 31	150.25
May 21	117.34	Aug. 4	116.93	Dec. 27	149.84
June 28	102.36	Nov. 30	105.57	Mar. 5, 1952	152.15
July 3	105.50	Apr. 26, 1943	115.06	Apr. 4	152.73
Jan. 20, 1936	107.35	Aug. 26	120.70	June 3	153.97
Aug. 27	105.48	Dec. 14	121.44	July 2	156.92
Jan. 4, 1937	102.95	Apr. 29, 1944	117.88	Aug. 1	159.45
Feb. 23, 1938	109.04	Aug. 8	121.62	Sept. 2	163.64
Mar. 21	109.71	Dec. 19	116.17	Sept. 22	154.14
Apr. 26	108.87	June 6, 1945	112.72	Oct. 1	155.3
May 23	108.17	Apr. 1, 1946	119.78	Nov. 4	157.3
July 26	112.59	July 2, 1947	120.33	Dec. 2	151.41
Aug. 22	114.35	Nov. 8	125.33	Jan. 5, 1953	147.36
Sept. 23	115.34	Apr. 24, 1948	132.47	Feb. 9	150.70
Oct. 26	116.02	June 30	134.33	Mar. 3	152.5+
Dec. 8	116.55	Aug. 2	137.35	Apr. 7	153.39
Jan. 27, 1939	117.12	Jan. 5, 1949	138.93	May 5	155.84
Mar. 2	118.35	Mar. 7	134.27	June 3	160.65
Apr. 3	120.03	Apr. 12	133.98	July 15	165.00
May 4	112.76	Aug. 26	131.32	Aug. 7	168.38
June 9	122.72	Oct. 10	132.71	Sept. 17	152.23
July 6	126.35	Nov. 3	125.24	Oct. 16	155.42
Aug. 17	124.12	Dec. 21	127.20	Nov. 2	153.17
Sept. 16	124.88	Jan. 26, 1950	129.41	Dec. 7	152.73
Oct. 26	126.30	Mar. 28	131.34	Jan. 4, 1954	152.63
Jan. 17, 1940	125.12	May 3	129.84	Feb. 4	154.66
Feb. 21	126.53	June 1	129.47	Mar. 1	157.45

(Continued on next page)

## BEXAR COUNTY

H-17. - Continued.

Date	Water level	Date	Water level	Date	Water level
Apr. 6, 1954	162.80	Dec. 1, 1954	164.57	Aug. 2, 1955	174.62
May 3	161.25	Jan. 4, 1955	163.73	Sept. 1	176.41
June 7	162.95	Feb. 1	163.00	Oct. 4	174.23
July 6	163.60	Mar. 1	162.16	Nov. 1	175.51
Aug. 4	168.26	Apr. 5	167.11	Dec. 5	170.91
Aug. 23	170.1 <sup>+</sup>	May 2	170.54	Jan. 3, 1956	171.32
Oct. 4	167.43	June 2	170.24		
Nov. 1	166.46	July 5	174.46		

H-92. Lat. 29°29', long. 98°41'.

July 1, 1948	165	July 5, 1950	162.38	June 7, 1951	174.83
Aug. 30, 1949	167.80	Aug. 2	166.02	Aug. 7	184.10
Oct. 7	163.58	Sept. 6	166.87	Sept. 11	186.27
Nov. 3	154.89	Oct. 5	167.14	Nov. 1	184.45
Jan. 27, 1950	161.17	Nov. 8	170.13	Dec. 28	184.10
Feb. 24	158.38	Dec. 5	170.61	Mar. 5, 1952	185.41
Mar. 29	161.97	Feb. 6, 1951	173.88		
May 3	161.07	Mar. 6	174.43		
June 6	155.64	May 12	177.00		

H-93. Lat. 29°26', long. 98°40'. Depth 300 feet. Land-surface datum is 857.9 feet above msl.

Jan. 7, 1954	206.60	Feb. 1, 1955	216.81	Aug. 2, 1955	227.92
Mar. 3	211.61	Mar. 1	216.21	Sept. 1	229.01
May 4	215.37	Apr. 6	220.89	Oct. 4	227.49
Aug. 26	224.41	May 2	224.38	Nov. 1	228.77
Nov. 1	219.91	June 2	223.35	Jan. 3, 1956	224.35
Jan. 4, 1955	217.35	July 5	227.46		

## BEXAR COUNTY

I-1. Lat.  $29^{\circ}28'$ , long.  $98^{\circ}38'$ . Depth  $200\pm$  feet. Land-surface datum is 803.7 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Sept. 21, 1933	116.50	Jan. 5, 1951	137.88	July 16, 1953	162.02
Oct. 11, 1934	123.97	Feb. 6	139.62	Sept. 21	101.24
July 1, 1948	131.14	Mar. 6	140.22	Nov. 5	134.20
Aug. 30, 1949	128.78	May 12	141.81	Jan. 7, 1954	142.85
Oct. 11	130.80	June 7	140.00	Mar. 5	148.76
Nov. 3	115.14	Aug. 7	149.67	May 5	150.14
Jan. 27, 1950	127.53	Sept. 11	151.43	Aug. 26	164.0±
Feb. 24	125.06	Nov. 1	148.55	Nov. 1	148.85
Mar. 29	128.79	Dec. 28	148.46	Jan. 11, 1955	148.76
May 3	127.78	Mar. 5, 1952	150.42	Mar. 4	148.60
June 1	122.65	Apr. 3	150.52	May 2	153.31
July 5	131.92	July 1	154.40	July 5	151.91
Aug. 2	133.83	Sept. 4	161.09	Aug. 31	151.56
Sept. 5	133.73	Nov. 5	153.97	Nov. 1	148.87
Oct. 5	134.10	Jan. 7, 1953	143.58	Jan. 3, 1956	157.35
Nov. 8	136.46	Mar. 3	148.08		
Dec. 5	137.08	May 1	152.97		

I-11. Lat.  $29^{\circ}29'$ , long.  $98^{\circ}36'$ . Depth 366 feet. Land-surface datum is 891.6 feet above msl.

July 21, 1932	212.60	Jan. 19, 1934	213.09	Dec. 19, 1934	218.51
Oct. 18	207.77	Feb. 19	212.69	Feb. 2, 1935	218.48
Nov. 18	208.34	Mar. 19	211.65	Apr. 10	218.92
Jan. 15, 1933	208.05	Apr. 18	210.86	May 20	207.34
Apr. 9	208.80	May 21	213.06	June 28	195.82
July 18	212.54	June 19	215.74	Aug. 5	201.15
Aug. 17	212.58	July 30	214.65	Sept. 29	200.23
Sept. 18	212.48	Aug. 22	217.38	Nov. 19	202.21
Oct. 17	212.10	Sept. 19	218.17	Aug. 26, 1936	200.71
Nov. 20	212.35	Oct. 12	218.89	Dec. 30	200.50
Dec. 18	213.54	Nov. 20	218.43		

## BEXAR COUNTY

I-18. Lat.  $29^{\circ}28'$ , long.  $98^{\circ}35'$ . Land-surface datum is 880.8 feet above msl.

Date	Water level	Date	Water level	Date	Water level
July 21, 1932	202.85	Apr. 10, 1935	209.02	May 11, 1951	184.95
Oct. 18	198.45	May 20	198.40	May 25	183.14
Nov. 18	198.97	June 28	186.85	June 6	182.28
Jan. 15, 1933	198.70	Aug. 5	191.82	Aug. 7	193.27
Apr. 8	199.50	Sept. 29	191.20	Sept. 11	194.18
July 18	203.06	Nov. 19	193.28	Oct. 30	190.59
Aug. 17	203.00	Jan. 18, 1936	194.92	Dec. 27	190.44
Sept. 18	202.89	Aug. 26	192.00	Apr. 8, 1952	191.34
Oct. 17	203.50	Dec. 30	191.69	July 1	195.38
Nov. 20	203.72	Oct. 7, 1949	175.29	Sept. 4	202.19
Dec. 18	203.86	Nov. 4	167.95	Nov. 4	195.84
Jan. 19, 1934	203.45	Feb. 1, 1950	171.33	Jan. 7, 1953	184.96
Feb. 19	203.05	Feb. 27	169.49	Mar. 3	189.13
Mar. 19	202.15	Mar. 30	173.53	May 5	194.25
Apr. 18	201.42	May 3	172.25	July 15	201.28
May 21	203.55	June 6	169.82	Sept. 21	191.19
June 19	206.29	July 6	175.99	Nov. 6	190.75
July 30	205.12	Aug. 2	179.20	Jan. 8, 1954	191.34
Aug. 22	207.72	Sept. 5	178.09	Mar. 4	195.99
Sept. 19	208.45	Oct. 5	178.17	May 6	199.28
Oct. 12	209.18	Nov. 8	180.25	July 9	204.34
Nov. 20	208.60	Dec. 5	181.06	Aug. 25	208.54
Dec. 19	208.75	Jan. 5, 1951	180.94	Nov. 3	205.47
Feb. 2, 1935	208.58	Feb. 6	182.61	Aug. 4, 1955	212.41
Feb. 28	208.22	Mar. 5	182.46	Nov. 3	212.47

I-33. Lat.  $29^{\circ}29'$ , long.  $98^{\circ}30'$ . Depth 385 feet. Land-surface datum is 772.1 feet above msl.

Oct. 29, 1932	93.77	Apr. 18, 1934	95.00	May 20, 1935	92.25
Apr. 9, 1933	93.44	May 21	97.3	June 26	81.05
July 18	97.00	June 19	99.75	Aug. 3	86.23
Aug. 17	97.42	July 27	100.11	Sept. 26	86.91
Sept. 18	97.19	Aug. 22	101.36	Nov. 19	88.12
Oct. 17	97.55	Oct. 12	102.84	Jan. 18, 1936	89.60
Nov. 20	97.70	Nov. 20	102.39	Aug. 28	87.23
Dec. 18	98.00	Dec. 19	102.39	Dec. 29	86.53
Jan. 18, 1934	97.58	Jan. 31, 1935	102.08	Sept. 1, 1949	110.55
Feb. 19	97.23	Mar. 1	101.85		
Mar. 19	96.34	Apr. 8	102.74		

## BEXAR COUNTY

I-46. Lat.  $29^{\circ}27'$ , long.  $98^{\circ}36'$ . Depth 476 feet. Land-surface datum is 831.5 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Sept. 21, 1933	147.93	May 3, 1950	162.81	Feb. 6, 1951	172.00
Aug. 8, 1934	154.38	June 1	162.43	Mar. 5	171.89
Oct. 12	157.83	July 5	165.81	May 12	173.53
Aug. 31, 1949	165.24	Aug. 2	169.28	June 7	170.30
Oct. 11	166.15	Sept. 5	167.33	Aug. 7	175.70
Nov. 3	158.36	Oct. 5	166.89	Sept. 11	183.30
Jan. 27, 1950	161.91	Nov. 8	168.62	Oct. 30	178.24
Feb. 24	159.66	Dec. 4	169.10	Dec. 27	175.60
Mar. 28	164.10	Jan. 5, 1951	170.70	Apr. 13, 1952	178.26

I-47. Lat.  $29^{\circ}27'$ , long.  $98^{\circ}36'$ . Depth 488 feet. Land-surface datum is 824.6 feet above msl.

Nov. 7, 1952	179.98	Mar. 3, 1953	175.5±	Nov. 5, 1953	174.94
Jan. 7, 1953	170.05	May 6	179.9	Jan. 7, 1954	176±

I-57. Lat.  $29^{\circ}24'$ , long.  $98^{\circ}37'$ . Depth 888 feet. Land-surface datum is 744.5 feet above msl.

Sept. 20, 1933	62.30	June 28, 1935	48.13	Jan. 27, 1939	61.97
Jan. 4, 1934	63.65	Aug. 3	52.21	Mar. 2	63.03
Apr. 20	60.83	Sept. 27	51.46	Apr. 3	64.80
May 23	64.63	Jan. 20, 1936	54.53	July 6	67.15
June 21	66.89	Aug. 27	52.66	Aug. 17	69.20
July 31	65.36	Jan. 4, 1937	51.07	Sept. 16	69.44
Aug. 24	68.63	Feb. 23, 1938	54.88	Feb. 21, 1940	70.09
Sept. 21	69.05	Mar. 15	55.13	Mar. 18	71.51
Oct. 11	69.64	Apr. 26	54.53	Apr. 26	72.74
Oct. 12	69.90	May 23	53.29	May 20	72.63
Nov. 20	69.10	June 27	57.26	June 17	71.74
Dec. 21	69.29	July 26	58.69	July 22	70.89
Feb. 3, 1935	69.14	Aug. 22	60.66	Aug. 23	75.17
Mar. 2	69.92	Sept. 24	60.37	Sept. 24	75.50
Apr. 9	69.74	Oct. 26	61.68	Oct. 21	75.40
May 21	60.26	Dec. 8	61.80	Dec. 2	71.13

(Continued on next page)

## BEXAR COUNTY

I-57. - Continued.

Date	Water level	Date	Water level	Date	Water level
Jan. 20, 1941	68.57	Sept. 5, 1950	80.35	Aug. 7, 1953	109.30
May 28	52.32	Oct. 5	80.13	Sept. 17	93.91
Aug. 7	58.60	Nov. 6	82.13	Oct. 16	96.74
Nov. 12	56.96	Dec. 4	82.24	Nov. 2	94.21
Apr. 6, 1942	60.44	Jan. 5, 1951	83.01	Dec. 7	93.60
Aug. 4	62.94	Feb. 7	85.85	Jan. 4, 1954	93.61
Dec. 3	52.36	Mar. 5	84.82	Feb. 4	95.84
Apr. 29, 1943	61.97	May 8	87.78	Mar. 1	98.74
Aug. 26	66.63	May 25	85.67	Apr. 6	103.93
Dec. 14	66.03	June 6	85.05	May 3	101.44
Apr. 29, 1944	62.29	July 3	90.68	June 7	106.10
Aug. 8	67.63	Aug. 8	96.98	July 6	105.59
Dec. 19	60.23	Sept. 11	97.93	Aug. 23	111.60
June 4, 1945	58.73	Oct. 8	94.86	Oct. 4	108.49
Apr. 1, 1946	64.46	Oct. 31	93.51	Oct. 11	106.38
July 2, 1947	65.81	Dec. 27	93.61	Nov. 1	106.99
Nov. 8	70.30	Mar. 5, 1952	94.30	Dec. 1	105.73
Apr. 23, 1948	76.52	Apr. 4	94.72	Jan. 4, 1955	105.97
July 1	77.94	June 3	96.43	Feb. 1	104.45
Aug. 2	81.57	July 2	99.00	Mar. 1	103.15
Jan. 10, 1949	82.14	Aug. 1	101.94	Apr. 5	108.29
Mar. 7	77.41	Sept. 2	106.24	May 2	112.01
Apr. 12	77.51	Oct. 1	96.82	June 2	111.61
Aug. 25	76.07	Nov. 4	99.14	July 5	115.45
Oct. 10	77.87	Dec. 2	92.26	Aug. 2	115.89
Nov. 3	70.05	Jan. 5, 1953	88.12	Sept. 1	117.26
Feb. 24, 1950	71.30	Feb. 9	91.95	Oct. 4	114.42
Mar. 28	74.74	Mar. 5	93.65	Nov. 1	116.32
May 3	74.10	Apr. 7	94.64	Dec. 5	110.40
June 1	74.20	May 5	97.92	Jan. 3, 1956	110.87
July 5	77.31	June 3	102.28		
Aug. 2	81.01	July 15	106.35		

## BEXAR COUNTY

I-117. Lat. 29° 21', long. 98° 33'. Land-surface datum is 653.3 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Mar. 5, 1953	6.88	July 9, 1954	25.84	Aug. 2, 1955	31.35
May 5	12.53	Aug. 25	29.22	Sept. 1	30.70
July 17	20.20	Nov. 4	25.53	Oct. 6	27.60
Sept. 17	9.72	Jan. 5, 1955	23.27	Nov. 4	27.26
Nov. 3	7.82	Mar. 4	22.86	Dec. 7	22.86
Jan. 5, 1954	8.07	Apr. 5	24.59	Jan. 5, 1956	23.74
Mar. 5	12.14	May 5	34.40		
May 6	17.83	June 3	28.5+		

I-122. Lat. 29° 23', long. 98° 39'. Depth 916 feet. Land-surface datum is 801.1 feet above msl.

Aug. 21, 1937	113.17	Apr. 23, 1940	128.02	Aug. 2, 1948	136.91
Oct. 18	126.96	May 20	128.15	Jan. 4, 1949	137.40
Nov. 15	124.04	June 17	127.20	Mar. 7	133.22
Jan. 19, 1938	112.09	July 22	126.43	Apr. 12	133.18
Feb. 26	110.03	Aug. 23	130.67	Aug. 25	131.66
Mar. 15	110.53	Sept. 24	130.87	Oct. 11	133.25
Apr. 26	109.80	Oct. 21	130.84	Nov. 4	125.66
May 24	108.51	Dec. 2	126.70	Dec. 21	128.10
June 27	112.39	Jan. 20, 1941	123.99	Jan. 26, 1950	129.81
July 26	113.81	May 28	107.47	Feb. 24	127.03
Aug. 22	115.76	Aug. 7	113.75	Mar. 28	130.42
Sept. 24	115.63	Nov. 12	111.96	May 3	129.84
Oct. 26	116.91	Apr. 8, 1942	114.97	June 1	129.85
Dec. 8	117.15	Aug. 4	117.97	July 5	132.90
Jan. 27, 1939	117.27	Nov. 30	106.91	Sept. 5	135.94
Mar. 2	118.44	Apr. 26, 1943	116.15	Oct. 5	135.75
Apr. 3	120.20	Dec. 14	121.52	Nov. 6	137.77
May 4	122.97	May 3, 1944	116.90	Dec. 4	137.84
June 9	122.51	Aug. 7	122.29	Jan. 5, 1951	138.67
July 6	126.40	Dec. 18	115.25	Feb. 7	141.36
Aug. 17	124.96	June 4, 1945	113.91	Mar. 5	140.32
Sept. 16	124.90	Apr. 4, 1946	120.59	May 8	142.95
Oct. 26	126.21	July 2, 1947	121.16	June 6	140.30
Jan. 17, 1940	125.20	Nov. 8	125.74	July 3	145.70
Feb. 21	125.67	Apr. 23, 1948	132.13	Aug. 8	152.32
Mar. 18	127.08	June 30	133.71	Sept. 11	151.67

(Continued on next page)

## BEXAR COUNTY

I-122. - Continued.

Date	Water level	Date	Water level	Date	Water level
Oct. 8, 1951	149.92	June 3, 1953	154.62	Nov. 1, 1954	158.26
Oct. 31	147.47	July 15	157.90	Dec. 1	156.87
Dec. 27	146.81	Aug. 7	161.19	Jan. 4, 1955	156.00
Mar. 5, 1952	147.64	Sept. 17	145.31	Feb. 1	155.75
Apr. 4	148.31	Oct. 16	148.52	Mar. 1	154.36
June 3	149.83	Nov. 2	145.84	Apr. 5	159.30
July 2	152.25	Dec. 7	145.19	May 2	162.91
Aug. 1	154.98	Jan. 4, 1954	145.20	June 2	162.53
Sept. 2	158.36	Feb. 4	147.62	July 5	166.59
Oct. 1	149.02	Mar. 1	150.45	Aug. 2	166.92
Nov. 4	151.32	Apr. 6	155.26	Aug. 29	168.36
Dec. 2	144.55	May 3	153.21	Oct. 4	165.71
Jan. 5, 1953	140.38	June 7	157.22	Nov. 1	166.78
Feb. 9	144.00	July 6	156.40	Dec. 5	161.96
Mar. 5	145.92	Aug. 4	161.51	Jan. 3, 1956	162.42
Apr. 7	153.39	Aug. 23	163.07		
May 5	150.14	Oct. 4	159.86		

I-129. Lat.  $29^{\circ}20'$ , long.  $98^{\circ}39'$ . Depth 1,610 feet. Land-surface datum is 636.3 feet above msl.

Feb. 11, 1951	+18.5	Aug. 7, 1953	7.6	Mar. 9, 1954	+4.00
Feb. 5, 1953	+15.6	Sept. 23	+7.0	May 11	+7.00
Mar. 5	+10.5	Nov. 3	+9.5	July 19	+7.20
May 5	+5.0	Jan. 6, 1954	+9.75	Aug. 27	7.9

I-158. Lat.  $29^{\circ}27'$ , long.  $98^{\circ}37'$ . Depth 604 feet. Land-surface datum is 764.4 feet above msl.

Mar. 3, 1953	112.98	Mar. 4, 1954	119.81	Mar. 1, 1955	124.29
May 6	118.12	May 5	122.44	May 2	132.85
Aug. 7	129.92	July 8	127.08	Aug. 31	136.59
Sept. 21	114.78	Aug. 26	132.45	Nov. 11	136.60
Nov. 6	114.50	Nov. 1	128.00	Jan. 3, 1956	131.94
Jan. 7, 1954	114.85	Jan. 5, 1955	124.94		

## BEXAR COUNTY

J-27. Lat.  $29^{\circ}26'$ , long  $98^{\circ}25'$ . Depth 620 feet. Land-surface datum is 643.5 feet above msl.

Date	Water level	Date	Water level	Date	Water level
Nov. 3, 1952	2.60	Aug. 23, 1954	15.81	July 6, 1955	18.33
Dec. 2	+4.00	Oct. 4	13.67	Aug. 3	19.92
Jan. 5, 1953	+8.15	Nov. 2	9.82	Sept. 1	17.80
Feb. 9	+4.10	Dec. 4	8.58	Oct. 5	16.96
Mar. 3	+1.60	Jan. 6, 1955	7.44	Nov. 2	17.38
May 3, 1954	4.58	Feb. 2	7.41	Dec. 6	12.84
June 7	10.17	Mar. 2	6.39	Jan. 27, 1956	13.12
July 6	10.31	Apr. 4	10.61		
Aug. 4	16.06	May 3	16.12		

J-28. Lat.  $29^{\circ}26'$ , long.  $98^{\circ}25'$ . Depth 932 feet. Land-surface datum is 646.2 feet above msl.

Nov. 3, 1952	5.95	Dec. 7, 1953	0.72	Jan. 6, 1955	10.82
Dec. 2	0.57	Jan. 4, 1954	0.72	Feb. 2	10.77
Jan. 5, 1953	+6.8	Feb. 4	3.51	Mar. 2	9.87
Feb. 9	+0.8	Mar. 1	6.27	Apr. 4	14.05
Mar. 6	0.70	Apr. 6	11.50	May 3	19.29
Apr. 7	2.18	May 3	8.28	June 1	16.83
May 7	5.74	June 7	13.77	July 6	22.01
June 3	11.08	July 6	14.16	Aug. 3	22.85
July 14	12.70	Aug. 4	18.12	Sept. 1	21.16
Aug. 7	17.90	Aug. 28	18.92	Oct. 5	20.56
Sept. 18	1.25	Oct. 4	15.06	Nov. 2	20.94
Oct. 16	4.85	Nov. 2	13.36	Dec.	16.53
Nov. 2	1.30	Dec. 2	11.97	Jan. 4, 1956	16.55

J-35. Lat.  $29^{\circ}26'$ , long.  $98^{\circ}24'$ . Depth 1,008 feet. Land-surface datum is 676.5 feet above msl.

Nov. 13, 1932	0.28	Oct. 10, 1949	18.61	May 5, 1950	15.33
Feb. 7, 1934	3.21	Nov. 8	11.53	June 6	12.98
Oct. 8	8.71	Feb. 1, 1950	13.48	July 7	20.78
June 24, 1948	21.47	Feb. 28	12.48	Aug. 1	22.08
Aug. 29, 1949	17.19	Mar. 31	16.46	Sept. 8	21.43

(Continued on next page)

## BEXAR COUNTY

J-35. - Continued.

Date	Water level	Date	Water level	Date	Water level
Oct. 9, 1950	21.47	Apr. 4, 1952	32.55	Nov. 2, 1954	43.31
Nov. 9	22.37	June 30	36.05	Dec. 6	41.95
Dec. 6	22.18	Sept. 2	44.83	Jan. 6, 1955	40.78
Jan. 4, 1951	21.91	Nov. 3	36.28	Feb. 2	40.86
Feb. 5	23.77	Jan. 5, 1953	25.66	Mar. 2	40.01
Mar. 7	25.20	Mar. 6	30.97	Apr. 4	44.04
May 10	26.30	May 7	35.68	May 3	49.13
May 28	24.39	July 14	42.53	June 1	46.82
June 8	23.86	Sept. 18	31.62	July 5	51.86
Aug. 6	34.29	Nov. 3	30.88	Aug. 3	52.70
Sept. 10	35.88	Jan. 4, 1954	30.90	Sept. 1	50.96
Oct. 8	32.42	Mar. 1	36.52	Oct. 5	48.55
Oct. 29	32.33	Mar. 3	38.24	Nov. 2	51.04
Dec. 27	30.59	July 7	43.37	Dec. 6,	46.35
Feb. 29, 1952	31.62	Aug. 23	48.95	Jan. 4, 1956	46.48

J-41. Lat. 29°28', long. 98°20'. Depth 860 feet. Land-surface datum is 687.0 feet above msl.

Feb. 7, 1934	24.61	Jan. 4, 1951	37.60	July 14, 1953	34.86
Oct. 8	28.80	Feb. 5	39.02	Sept. 18	47.76
June 24, 1948	39.30	Mar. 7	39.13	Nov. 4	46.70
July 28, 1949	33.69	May 8	42.08	Jan. 5, 1954	44.91
Oct. 10	35.42	May 25	29.40	Mar. 2	48.28
Nov. 8	30.84	June 8	40.38	May 4	52.32
Feb. 1, 1950	31.39	Aug. 8	47.94	July 7	55.80
Feb. 28	30.14	Sept. 10	50.11	Aug. 24	61.23
Mar. 31	32.84	Sept. 29	47.26	Nov. 2	57.31
May 4	31.67	Dec. 27	45.99	Jan. 6, 1955	54.40
June 6	31.57	Feb. 29, 1952	46.51	Mar. 2	52.60
July 3	33.18	Apr. 4	46.95	May 3	59.36
Aug. 1	36.58	June 30	50.69	July 5	62.30
Aug. 14	38.06	Sept. 3	56.51	Sept. 1	64.68
Sept. 8	36.97	Nov. 3	50.21	Nov. 2	63.64
Oct. 9	36.74	Jan. 6, 1953	42.55	Jan. 4, 1956	59.73
Nov. 9	38.02	Mar. 6	44.36		
Dec. 6	37.98	May 7	48.14		

## BEXAR COUNTY

J-75. Lat.  $29^{\circ}26'$ , long.  $98^{\circ}24'$ . Depth  $1,130 \pm$  feet. Land-surface datum is 607.0 feet above msl.

Date	Water level	Date	Water level	Date	Water level
-- 1944	+34.7	Dec. 7, 1953	+35.2	Jan. 6, 1955	+25.4
Oct. 1, 1952	+30.8	Jan. 4, 1954	+35.7	Feb. 2	+26.4
Nov. 3	+30.7	Feb. 4	+32.4	Mar. 2	+26.9
Dec. 2	+36.8	Mar. 1	+30.7	Apr. 4	+22.7
Jan. 5, 1953	+38.8	Apr. 6	+25.9	May 3	+17.8
Feb. 9	+35.8	May 3	+27.9	June 1	+20.7
Mar. 6	+32.8	June 7	+21.65	July 5	+12.4
Apr. 7	+25.8	July 12	+20.9	Aug. 3	+14.4
June 3	+25.9	Aug. 4	+19.4	Oct. 5	+15.9
Sept. 18	+34.6	Aug. 30	+17.9	Nov. 2	+15.9
Oct. 16	+30.1	Oct. 4	+21.4	Jan. 4, 1956	+20.4
Nov. 2	+33.9	Nov. 2	+23.1		

J-78. Lat.  $29^{\circ}26'$ , long.  $98^{\circ}25'$ . Depth 840 feet. Land-surface datum is 633.9 feet above msl.

Dec. 2, 1952	+12.7	Sept. 18, 1953	+10.4	Mar. 1, 1954	+6.58
Jan. 5, 1953	+17.3	Oct. 16	+6.9	May 3	+4.8
Feb. 9	+9.4	Nov. 2	+8.7	Mar. 1, 1955	+3.7
Mar. 6	+8.95	Dec. 7	+11.2	Sept. 1	+10.9
Apr. 7	+7.9	Jan. 4, 1954	+12.6		
Apr. 28,	+8.40	Feb. 4	+9.45		

K-2. Lat.  $29^{\circ}28'$ , long.  $98^{\circ}16'$ . Depth 854 feet. Land-surface datum is 589.6 feet above msl.

Feb. 6, 1934	+59.9	May 10, 1951	+45.5	June 30, 1952	+39.0
Oct. 8	+57.6	May 25	+45.5	Sept. 3	+35.7
Aug. 14, 1950	+48.5	June 8	+45.5	Nov. 3	+38.5
Sept. 8	+49.0	Aug. 6	+38.0	Jan. 6, 1953	+42.5
Oct. 9	+49.0	Sept. 10	+39.0	Mar. 6	+41.0
Nov. 9	+48.0	Oct. 29	+40.5	May 7	+38.5
Dec. 6	+48.0	Dec. 27	+41.0	Sept. 18	+37.0
Jan. 19, 1951	+48.5	Feb. 29, 1952	+41.5	Nov. 4	+39.9
Mar. 7	+47.0	Apr. 4	+41.0	Jan. 5, 1954	+39.4

(Continued on next page)

## BEXAR COUNTY

K-2. - Continued.

Date	Water level	Date	Water level	Date	Water level
Mar. 2, 1954	+38.5	Feb. 6, 1955	+36.0	Sept. 1, 1955	+29.8
May 4	+39.5	Mar 2	+38.5	Oct. 5	+30.5
July 7	+37.0	Apr. 4	+37.0	Nov. 2	+30.2
Aug. 24	+28.6	May 3	+34.3	Dec. 6	+32.5
Nov. 2	+34.5	June 1	+34.5	Jan. 4, 1956	+32.8
Dec. 2	+36.3	July 5	+32.0		
Jan. 6, 1955	+36.5	Aug. 3	+31.0		

M-12. Lat.  $29^{\circ}17'$ , long.  $98^{\circ}41'$ . Depth 1,915 feet. Land-surface datum is 658.1 feet above msl.

Mar. 5, 1953	8.73	Aug. 25, 1954	28.33	July 8, 1955	31.32
May 5	12.80	Nov. 4	21.30	Aug. 2	29.41
July 15	20.97	Dec. 3	19.99	Aug. 31	29.47
Sept. 17	8.78	Jan. 5, 1955	17.25	Oct. 6	29.18
Nov. 3	9.10	Feb. 1	19.15	Nov. 4	29.26
Jan. 6, 1954	8.62	Mar. 5	18.39	Dec. 7	23.68
Mar. 5	12.43	Apr. 5	18.22	Jan. 4, 1956	25.80
May 6	15.92	May 5	18.22		
July 9	24.38	June 3	25.68		

M-14. Lat.  $29^{\circ}16'$ , long.  $98^{\circ}40'$ . Depth 1,800 feet. Land-surface datum is 590.1 feet above msl.

Aug. 26, 1933	+97.5	Nov. 22, 1935	+101.5	Nov. 3, 1953	+55.7
Oct. 20	+97.3	Mar. 5, 1953	+65.5	Jan. 6, 1954	+65.7
May 22, 1934	+95.2	May 5	+52.5	Mar. 5	+62.0
Oct. 10	+91.7	Sept. 17	+64.6	May 6	+56.0

N-1. Lat.  $29^{\circ}19'$ , long.  $98^{\circ}39'$ . Land-surface datum is 621.6 feet above msl.

Sept. 13, 1933	+50.9	Dec. 6, 1950	+29.0	Aug. 8, 1951	+16.0
Oct. 10, 1934	+44.4	Jan. 6, 1951	+38.5	Oct. 31	+21.5
Aug. 14, 1950	+32.0	Feb. 7	+34.0	Dec. 27	+21.5
Sept. 5	+35.0	Mar. 8	+33.0	Mar. 5, 1952	+24.5
Oct. 9	+36.0	May 12	+29.0	Apr. 8	+21.5
Nov. 10	+31.0	June 6	+35.0	July 2	+15.0

(Continued on next page)

## BEXAR COUNTY

N-1. - Continued.

Date	Water level	Date	Water level	Date	Water level
Sept. 2, 1952	+11.5	Jan. 6, 1954	+24.7	Apr. 5, 1955	+20.5
Nov. 3	+21.7	Mar. 5	+19.0	May 5	+2.0
Jan. 5, 1953	+31.0	May 6	+13.75	June 3	+3.8
Mar. 5	+26.0	July 9	+9.0	Oct. 6	+4.6
May 5	+21.5	Aug. 2	+2.3	Nov. 4	+4.5
Sept. 17	+21.2	Jan. 5, 1955	+14.0	Jan. 5, 1956	+8.4
Nov. 3	+24.5	Mar. 5	+19.2		

N-41. Lat.  $29^{\circ}10'$ , long.  $98^{\circ}35'$ . Depth  $225 \pm$  feet.

June 27, 1946	183.57	Apr. 21, 1953	183.97	Mar. 15, 1955	184.39
June 30, 1951	183.41	Aug. 5	183.90	June 9	184.49
Sept. 26	183.30	Nov. 12	184.09	Sept. 21	184.70
Feb. 28, 1952	183.67	Feb. 18, 1954	183.82	Dec. 12	184.81
June 24	183.86	June 9	184.35		
Sept. 24	183.98	Sept. 14	184.33		

N-43. Lat.  $29^{\circ}10'$ , long.  $98^{\circ}35'$ . Depth 120 feet.

June 27, 1946	106.16	Sept. 25, 1952	106.06	Sept. 14, 1954	105.99
June 30, 1951	104.99	Apr. 21, 1953	105.50	Mar. 15, 1955	105.95
Sept. 26	102.89	Aug. 5	107.2	June 9	106.15
Feb. 29, 1952	104.91	Nov. 12	107.15	Sept. 21	106.13
June 24	105.13	Feb. 18, 1954	105.68	Dec. 12	106.33

N-88. Lat.  $29^{\circ}10'$ , long.  $98^{\circ}30'$ . Depth 140 feet.

July 5, 1946	124.75	Sept. 25, 1952	123.53	June 9, 1954	124.89
June 28, 1951	123.08	Apr. 21, 1953	123.37	Sept. 15	124.33
Sept. 27	123.15	Aug. 5	123.13	Mar. 15, 1955	124.36
Feb. 29, 1952	123.10	Nov. 11	124.23	June 10	124.70
June 25	123.50	Feb. 18, 1954	124.63	Sept. 21	124.75

Q-2. Lat.  $29^{\circ}09'$ , long.  $98^{\circ}30'$ . Depth 113 feet.

July 5, 1946	101.15	Apr. 21, 1953	103.62	Mar. 15, 1955	105.87
June 28, 1951	102.63	Aug. 5	103.04	June 10	103.94
Sept. 27	102.54	Nov. 11	103.14	Sept. 21	104.70
Feb. 29, 1952	101.97	Feb. 18, 1954	102.91	Dec. 13	104.18
June 25	104.0	June 9	106.44		
Sept. 25	102.6	Sept. 15	107.96		

## BEXAR COUNTY

Q-4. Lat. 29°08', long. 98°30'. Depth 171 feet.

Date	Water level	Date	Water level	Date	Water level
July 5, 1946	98.79	Apr. 21, 1953	102.41	Mar. 15, 1955	104.27
June 28, 1951	100.89	Aug. 5	102.58	June 10	104.63
Sept. 27	101.10	Nov. 11	102.70	Sept. 21	104.86
Feb. 29, 1952	101.38	Feb. 18, 1954	102.98	Dec. 13	105.21
June 25	101.7	June 9	103.42		
Sept. 25	101.71	Sept. 15	103.61		

R-5. Lat. 29°08', long. 98°26'. Depth 115 feet.

July 9, 1946	84.34	Apr. 21, 1953	88.65	Mar. 16, 1955	91.98
June 28, 1951	86.63	Aug. 5	89.32	June 10	92.72
Sept. 27	87.90	Nov. 11	89.64	Sept. 21	93.79
Feb. 29, 1952	86.89	Feb. 17, 1954	90.07	Dec. 13	94.54
June 25	87.57	June 8	90.36		
Sept. 25	88.29	Sept. 15	90.84		

R-6. Lat. 29°07', long. 98°26'. Depth 139 feet.


July 9, 1946	113.99	Sept. 25, 1952	115.42	June 10, 1955	116.94
June 28, 1951	114.97	Apr. 21, 1953	115.85	Sept. 22	116.44
Sept. 27	115.31	Nov. 11	116.16	Dec. 13	116.80
Feb. 29, 1952	114.92	Feb. 17, 1954	115.96		
June 25	115.63	Mar. 16, 1955	116.31		

R-9. Lat. 29°07', long. 98°26'. Depth 39 feet.

-- 1946	35	Sept. 25, 1952	36.09	Sept. 15, 1954	38.20
June 28, 1951	34.47	Apr. 21, 1953	36.79	Mar. 16, 1955	38.90
Sept. 27	35.15	Aug. 5	37.50	June 10	39.29
Feb. 29, 1952	35.30	Feb. 17, 1954	37.46	Sept. 22	40.22
June 25	36.0	June 8	38.52		

R-10. Lat. 29°09', long. 98°25'. Depth 160 feet.


July 9, 1946	148.35	June 25, 1952	153.38	Feb. 17, 1954	153.05
June 28, 1951	150.06	Sept. 25	152.14	June 8	154.34
Sept. 27	152.59	Aug. 5, 1953	154.56	Sept. 15	156.06
Feb. 29, 1952	153.63	Nov. 11	193.40	Mar. 16, 1955	156.10





Texas Board of Water Engineers in cooperation with the U. S. Geological Survey and the city of San Antonio

Bulletin 5606



Hydrographs of water levels in wells in Bexar County, Tex.

